

Healthy Youth Survey 2002 Survey Results

Douglas County

Grade 10

RMC Research Corporation
522 SW Fifth Avenue, Suite 1407
Portland, OR 97204

Revised June 2003

Contents

Introduction and Overview	1
Graphical Summary of Selected Results	2
Selected Results Disaggregated by Gender	4
General Information (Items 1–11)	5
Alcohol, Tobacco, and Other Drug (ATOD) Use.....	6
Lifetime Use (Items 12–23)	6
30-Day Use (Items 24–38)	8
Other Tobacco-Related Questions (Items 39–70)	10
Other Alcohol- and Drug-Related Questions (Items 71–73).....	15
Other Health Concerns	16
Nutrition and Fitness (Items 74–90).....	16
Health Conditions and Health Care (Items 91–98)	19
Safety (Items 99–110)	20
Behaviors Related to Intentional Injuries (Items 111–125).....	22
Depression (Items 126–135)	23
School Climate (Items 136–144).....	25
Quality of Life (Items 145–156).....	26
Risk and Protective Factors: Scale Results.....	30
Risk Factors.....	30
Protective Factors.....	31
Number of Risk or Protective Factors.....	32
Risk and Protective Factors: Individual Item Results	32
Community Domain (Items 157–178).....	32
School Domain (Items 179–196)	35
Peer and Individual Domain (Items 197–239)	38
Family Domain (Items 240–262)	45

Healthy Youth Survey 2002 Survey Results

Douglas County, Grade 10

Number of students surveyed: 366
Number of valid responses: 344
Number of participating schools: 4
County response rate: 67%

The impact of adolescent health risk behaviors remains a primary concern of citizens throughout the country. Many health problems experienced by adolescents are caused by a very few preventable behaviors. Patterns of alcohol, tobacco, and other drug (ATOD) use and related risk behaviors are often formed during adolescence. These patterns play an important role in health throughout adulthood.

This report presents results from the fall 2002 Healthy Youth Survey in Washington State. For each item, local results appear in the first two columns and statewide results appear in the second two columns. The number of valid responses (“n”) appears in parentheses for each item. Survey items covering the same topics are grouped together (the item numbering is specific to this report and does not necessarily reflect the item order on the actual survey). The bulleted points and graphs included at the beginning of this report highlight selected findings from the report. Additional information may be found in the *Interpretive Guide* that accompanied this report.

Key to the Notes

The survey was administered in 3 versions. Forms A and B were administered to students in Grades 8, 10, and 12. These two forms contained a core set of common items and additional items unique to each form. Form C was administered to students in Grade 6. This form consisted primarily of questions drawn from Forms A and B but also included some unique items. Several items on each form were optional at the discretion of the school; schools that did not administer the optional questions tore off the last page of the survey booklet. The following notes are used throughout this report to document the differences between the items on different versions and note the optional items:

A = wording on Form A

B = wording on Form B

C = wording on Form C

° = answer choices presented in a different order on one or more versions of the survey


† = optional item

Highlights of the Local Results


Your students and students statewide reported the following behaviors and attitudes:

	Your students		Statewide	
▪ Smoking cigarettes in the past 30 days (see item 25)	21.6%	(± 4.4%)	15.0%	(± 1.4%)
▪ Drinking alcohol in the past 30 days (see item 31)	36.2	(± 5.1)	29.3	(± 1.9)
▪ Using marijuana or hashish in the past 30 days (see item 32)	21.9	(± 4.4)	18.3	(± 1.9)
▪ Carrying a weapon in the past 30 days (see item 111)	7.9	(± 2.8)	8.4	(± 1.0)
▪ Carrying a weapon at school in the past 30 days (see item 112)	7.0	(± 2.7)	6.0	(± 0.9)
▪ Being bullied in the past 30 days (see item 136)	25.4	(± 4.7)	22.2	(± 1.7)
▪ Enjoyed being in school over the past year (see item 182)	42.7	(± 5.3)	40.0	(± 2.1)
▪ Feeling safe at school (see item 193)	85.1	(± 3.8)	84.1	(± 1.8)


Risk and Protective Factors



Substance Use and Weapon Carrying in the Past 30 Days



Bullying and School Climate



Selected Results Disaggregated by Gender

25. During the past 30 days, on how many days did you smoke cigarettes?	Local (n = 342)		State (n = 4,976)	
	Female	Male	Female	Male
None	83.4%	73.7%	84.8%	85.3%
1 or more	16.6	26.4	15.2	14.7

Note. Results are suppressed if any cell represents fewer than 15 students; $p = .03$ from a chi-square test.

31. During the past 30 days, on how many days did you drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	Local (n = 342)		State (n = 4,955)	
	Female	Male	Female	Male
None	66.9%	60.5%	70.0%	71.5%
1 or more	33.1	39.5	30.0	28.5

Note. Results are suppressed if any cell represents fewer than 15 students; $p = .22$ from a chi-square test.

72. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	Local (n = 340)		State (n = 4,904)	
	Female	Male	Female	Male
None	82.9%	73.9%	81.6%	81.1%
Once or more	17.1	26.1	18.4	18.9

Note. Results are suppressed if any cell represents fewer than 15 students; $p = .05$ from a chi-square test.

126. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Local (n = 333)		State (n = 4,764)	
	Female	Male	Female	Male
No°	63.2%	77.8%	63.4%	78.3%
Yes	36.8	22.2	36.6	21.7

Note. Results are suppressed if any cell represents fewer than 15 students; $p = <.001$ from a chi-square test.

136. In the last 30 days, how often have you been bullied?	Local (n = 334)		State (n = 4,836)	
	Female	Male	Female	Male
I have not been bullied	77.9%	71.0%	78.3%	77.3%
Once or more	22.1	29.0	21.7	22.7

Note. Results are suppressed if any cell represents fewer than 15 students; $p = .15$ from a chi-square test.

193. I feel safe at my school.	Local (n = 342)		State (n = 5,059)	
	Female	Male	Female	Male
No	12.6%	17.4%	13.6%	18.2%
Yes	87.4	82.6	86.5	81.8

Note. Results are suppressed if any cell represents fewer than 15 students; $p = .21$ from a chi-square test.

General Information

	Local (<i>n</i> = 343)	State (<i>n</i> = 5,116)
1. How old are you?		
a. 12 or younger	0.0% (± 0.0%)	0.1% (± 0.1%)
b. 13	0.0 (± 0.0)	0.0 (± 0.1)
c. 14	1.5 (± 1.3)	1.4 (± 0.5)
d. 15	66.8 (± 5.0)	67.6 (± 2.1)
e. 16	30.3 (± 4.9)	28.3 (± 1.7)
f. 17	1.2 (± 1.1)	1.9 (± 0.7)
g. 18	0.0 (± 0.0)	0.4 (± 0.3)
h. 19 or older	0.3 (± 0.6)	0.2 (± 0.2)

[Item 2 appears only on the elementary version of the survey.]

	Local (<i>n</i> = 343)	State (<i>n</i> = 5,113)
3. Are you:		
a. Female	51.3% (± 5.3%)	51.5% (± 1.5%)
b. Male	48.7 (± 5.3)	48.5 (± 1.5)

	Local (<i>n</i> = 340)	State (<i>n</i> = 5,088)
4. How do you describe yourself? (Select one or more responses.)		
a. Asian or Asian American	0.6% (± 0.8%)	5.8% (± 2.1%)
b. American Indian or Alaskan Native	2.1 (± 1.5)	1.8 (± 0.4)
c. Black or African-American	1.2 (± 1.1)	3.1 (± 1.2)
d. Hispanic or Latino/Latina	18.8 (± 4.2)	9.9 (± 5.4)
e. Native Hawaiian or other Pacific Islander	0.9 (± 1.0)	1.6 (± 0.5)
f. White or Caucasian	71.5 (± 4.8)	69.9 (± 6.5)
g. Other	2.9 (± 1.8)	5.0 (± 0.8)
<i>More than one race/ethnicity marked</i>	2.1 (± 1.5)	3.0 (± 0.7)

	Local (<i>n</i> = 331)	State (<i>n</i> = 4,843)
5. What language is usually spoken at home ^A / in the home ^B ?		
a. English	84.0% (± 4.0%)	87.6% (± 4.6%)
b. Spanish	13.3 (± 3.7)	6.4 (± 4.1)
c. Russian	0.6 (± 0.8)	0.9 (± 0.4)
d. Ukrainian	0.6 (± 0.8)	0.7 (± 0.2)
e. Vietnamese	0.9 (± 1.0)	0.7 (± 0.3)
f. Other	0.6 (± 0.8)	3.8 (± 1.9)

[Item 6 appears only on the elementary version of the survey.]

	Local (<i>n</i> = 330)	State (<i>n</i> = 4,802)
7. What is the highest degree or diploma your father earned?		
a. None	14.9% (± 3.8%)	11.0% (± 2.9%)
b. High school diploma or GED	23.9 (± 4.6)	22.7 (± 2.1)
c. Two-year college	12.4 (± 3.6)	11.8 (± 1.0)
d. Four-year college or more	23.9 (± 4.6)	28.8 (± 4.2)
e. Don't know	24.9 (± 4.7)	25.8 (± 1.9)

	Local (n = 331)	State (n = 4,810)
8. What is the highest degree or diploma your mother earned?		
a. None	12.1% (± 3.5%)	9.0% (± 2.9%)
b. High school diploma or GED	27.2 (± 4.8)	26.7 (± 2.0)
c. Two-year college	21.5 (± 4.4)	16.7 (± 1.4)
d. Four-year college or more	20.5 (± 4.4)	25.7 (± 3.0)
e. Don't know	18.7 (± 4.2)	21.9 (± 1.9)
9. How far in school do you think you will get? (Mark only one.)	Local (n = 157)	State (n = 2,290)
a. Won't graduate from high school	1.3% (± 1.8%)	2.1% (± 0.8%)
b. Will graduate from high school, but won't go any further	10.8 (± 4.9)	6.8 (± 1.6)
c. Will go to a community college, technical, or other 2-year school after high school	24.2 (± 6.7)	21.0 (± 1.8)
d. Will attend a 4-year college	13.4 (± 5.3)	10.6 (± 1.6)
e. Will graduate from a 4-year college	35.7 (± 7.5)	37.2 (± 2.9)
f. Will earn an advanced graduate degree	14.7 (± 5.5)	22.5 (± 2.1)
10. Not counting chores around your home, how many hours per week are you currently working for pay?	Local (n = 157)	State (n = 2,231)
a. None, not currently working	67.5% (± 7.3%)	70.7% (± 2.5%)
b. 4 hours or less a week	10.8 (± 4.9)	12.4 (± 1.7)
c. 5–10 hours a week	12.7 (± 5.2)	7.9 (± 1.2)
d. 11–20 hours a week	3.2 (± 2.7)	5.3 (± 0.8)
e. 21–30 hours a week	1.9 (± 2.1)	1.8 (± 0.6)
f. 31–40 hours a week	1.9 (± 2.1)	0.8 (± 0.4)
g. More than 40 hours a week	1.9 (± 2.1)	1.0 (± 0.4)
11. How honest were you in filling out this survey?	Local (n = 314)	State (n = 4,199)
a. I was very honest	85.4% (± 3.9%)	88.2% (± 1.6%)
b. I was honest pretty much of the time	12.1 (± 3.6)	10.1 (± 1.3)
c. I was honest some of the time	2.6 (± 1.7)	1.7 (± 0.4)
d. I was honest once in a while		Surveys pulled
e. I was not honest at all		Surveys pulled

Alcohol, Tobacco, and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. The economic costs of ATOD use are enormous (in Washington State an estimated \$1.81 billion in 1990 and \$2.54 billion in 1996). Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), other tobacco-related questions, and other alcohol- and drug-related questions.

Lifetime Use

	Local (n = 170)	State (n = 2,372)
12. Have you ever smoked a cigarette, even just a puff? (Computed from item 215.)		
a. No	57.7% (± 7.4%)	61.1% (± 3.6%)
b. Yes	42.4 (± 7.4)	39.0 (± 3.6)

13.	Have you ever smoked a whole cigarette? (Computed from item 42 or 43.)	Local (n = 340)	State (n = 4,922)
a.	No	57.9% (± 5.3%)	70.4% (± 2.2%)
b.	Yes	42.1 (± 5.3)	29.6 (± 2.2)
14.	Have you ever used chewing tobacco, snuff, or dip? (Computed from item 49.)	Local (n = 158)	State (n = 2,115)
a.	No	82.3% (± 6.0%)	86.9% (± 1.7%)
b.	Yes	17.7 (± 6.0)	13.1 (± 1.7)
15.	Have you ever smoked a cigar, cigarillo, or little cigar? (Computed from item 50.)	Local (n = 158)	State (n = 2,110)
a.	No	65.8% (± 7.4%)	74.9% (± 2.5%)
b.	Yes	34.2 (± 7.4)	25.1 (± 2.5)
16.	Have you ever had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from item 216 or 217.)	Local (n = 340)	State (n = 4,887)
a.	No	36.8% (± 5.1%)	40.0% (± 2.5%)
b.	Yes	63.2 (± 5.1)	60.0 (± 2.5)
17.	Have you ever smoked marijuana? (Computed from item 213 or 214.)	Local (n = 340)	State (n = 4,903)
a.	No	62.4% (± 5.2%)	67.6% (± 2.7%)
b.	Yes	37.7 (± 5.2)	32.4 (± 2.7)
18.	Have you ever, even once in your life, used steroids (muscle builders) without a doctor's prescription?	Local (n = 338)	State (n = 4,877)
a.	No	95.9% (± 2.1%)	97.1% (± 0.4%)
b.	Yes	4.1 (± 2.1)	2.9 (± 0.4)
19.	Have you ever, even once in your life, used cocaine or crack (coke, rock, snow)?	Local (n = 338)	State (n = 4,864)
a.	No	91.1% (± 3.0%)	94.6% (± 0.8%)
b.	Yes	8.9 (± 3.0)	5.4 (± 0.8)
20.	Have you ever, even once in your life, used a needle to inject any illegal drugs?	Local (n = 338)	State (n = 4,847)
a.	No	97.6% (± 1.6%)	97.9% (± 0.4%)
b.	Yes	2.4 (± 1.6)	2.1 (± 0.4)
21.	Have you ever, even once in your life, used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	Local (n = 169)	State (n = 2,337)
a.	No	96.5% (± 2.8%)	95.6% (± 0.8%)
b.	Yes	3.6 (± 2.8)	4.5 (± 0.8)

[Items 22 and 23 appear only on the elementary version of the survey.]

30-Day Use (Use in the Past 30 Days)

	Local (n = 315)	State (n = 4,358)
24. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
a. I did not smoke during the past 30 days	76.2% (± 4.7%)	84.2% (± 1.6%)
b. Less than 1 per day	5.4 (± 2.5)	3.6 (± 0.7)
c. 1 per day	2.5 (± 1.7)	3.2 (± 0.5)
d. 2–5 per day	11.1 (± 3.5)	6.3 (± 0.9)
e. 6–10 per day	2.2 (± 1.6)	1.5 (± 0.4)
f. 11–20 per day	1.0 (± 1.1)	0.6 (± 0.3)
g. More than 20 cigarettes per day	1.6 (± 1.4)	0.5 (± 0.2)

During the past 30 days, on how many days did you:

	Local (n = 343)	State (n = 4,989)
25. Smoke cigarettes?		
a. None	78.4% (± 4.4%)	85.0% (± 1.4%)
b. 1–2 days	6.1 (± 2.5)	4.3 (± 0.7)
c. 3–5 days	2.9 (± 1.8)	2.3 (± 0.3)
d. 6–9 days	2.0 (± 1.5)	1.6 (± 0.3)
e. 10–29 days	5.0 (± 2.3)	3.1 (± 0.6)
f. All 30 days	5.5 (± 2.4)	3.7 (± 0.7)
<i>Any use in past 30 days</i>	<i>21.6 (± 4.4)</i>	<i>15.0 (± 1.4)</i>

	Local (n = 343)	State (n = 4,984)
26. Chew tobacco or use snuff? ^{A,C} / Use chewing tobacco, snuff, or dip? ^B		
a. None	94.5% (± 2.4%)	95.2% (± 0.8%)
b. 1–2 days	2.6 (± 1.7)	2.0 (± 0.4)
c. 3–5 days	0.3 (± 0.6)	0.8 (± 0.3)
d. 6–9 days	1.2 (± 1.1)	0.7 (± 0.2)
e. 10–29 days	0.6 (± 0.8)	0.6 (± 0.2)
f. All 30 days	0.9 (± 1.0)	0.7 (± 0.3)
<i>Any use in past 30 days</i>	<i>5.5 (± 2.4)</i>	<i>4.8 (± 0.8)</i>

	Local (n = 149)	State (n = 1,979)
27. Smoke cigars, cigarillos, or little cigars?		
a. 0 days	84.6% (± 5.8%)	88.6% (± 1.7%)
b. 1–2 days	8.1 (± 4.4)	5.2 (± 1.2)
c. 3–9 days	5.4 (± 3.6)	3.3 (± 0.7)
d. 10–29 days	2.0 (± 2.3)	1.6 (± 0.6)
e. All 30 days	0.0 (± 0.0)	1.3 (± 0.5)
<i>Any use in past 30 days</i>	<i>15.4 (± 5.8)</i>	<i>11.4 (± 1.7)</i>

	Local (n = 144)	State (n = 1,188)
28. Smoke tobacco in a pipe? [†]		
a. 0 days	89.6% (± 5.0%)	94.1% (± 1.9%)
b. 1–2 days	4.9 (± 3.5)	2.6 (± 1.0)
c. 3–9 days	2.1 (± 2.3)	2.0 (± 0.9)
d. 10–29 days	2.1 (± 2.3)	0.4 (± 0.3)
e. All 30 days	1.4 (± 1.9)	0.8 (± 0.5)
<i>Any use in past 30 days</i>	<i>10.4 (± 5.0)</i>	<i>5.9 (± 1.9)</i>

	Local (n = 144)	State (n = 1,185)
29. Smoke bidis ("beedies", flavored cigarettes)? [†]		
a. 0 days	92.4% (± 4.3%)	92.0% (± 2.5%)
b. 1–2 days	4.2 (± 3.3)	4.1 (± 1.6)
c. 3–9 days	3.5 (± 3.0)	2.5 (± 1.1)
d. 10–29 days	0.0 (± 0.0)	0.7 (± 0.5)
e. All 30 days	0.0 (± 0.0)	0.7 (± 0.6)
<i>Any use in past 30 days</i>	7.6 (± 4.3)	8.0 (± 2.5)
30. Smoke clove cigarettes (kreteks)? [†]	Local (n = 144)	State (n = 1,183)
a. 0 days	94.4% (± 3.7%)	93.7% (± 2.4%)
b. 1–2 days	0.0 (± 0.0)	2.2 (± 0.9)
c. 3–9 days	4.9 (± 3.5)	2.4 (± 1.2)
d. 10–29 days	0.0 (± 0.0)	1.4 (± 0.8)
e. All 30 days	0.7 (± 1.4)	0.4 (± 0.3)
<i>Any use in past 30 days</i>	5.6 (± 3.7)	6.3 (± 2.4)
31. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	Local (n = 343)	State (n = 4,967)
a. None	63.9% (± 5.1%)	70.7% (± 1.9%)
b. 1–2 days	17.8 (± 4.0)	15.2 (± 1.2)
c. 3–5 days	12.2 (± 3.5)	7.5 (± 1.0)
d. 6–9 days	3.2 (± 1.9)	2.9 (± 0.5)
e. 10 or more days	2.9 (± 1.8)	3.7 (± 0.5)
<i>Any use in past 30 days</i>	36.2 (± 5.1)	29.3 (± 1.9)
32. Use marijuana or hashish (grass, hash, pot)?	Local (n = 342)	State (n = 4,966)
a. None	78.1% (± 4.4%)	81.7% (± 1.9%)
b. 1–2 days	9.1 (± 3.0)	6.7 (± 0.9)
c. 3–5 days	3.5 (± 1.9)	3.5 (± 0.5)
d. 6–9 days	2.9 (± 1.8)	2.1 (± 0.4)
e. 10 or more days	6.4 (± 2.6)	6.1 (± 0.9)
<i>Any use in past 30 days</i>	21.9 (± 4.4)	18.3 (± 1.9)
33. Use inhalants (things you sniff to get high)?	Local (n = 342)	State (n = 4,962)
a. None	93.9% (± 2.5%)	96.2% (± 0.6%)
b. 1–2 days	4.1 (± 2.1)	2.2 (± 0.4)
c. 3–5 days	1.2 (± 1.1)	1.0 (± 0.3)
d. 6–9 days	0.6 (± 0.8)	0.3 (± 0.1)
e. 10 or more days	0.3 (± 0.6)	0.4 (± 0.1)
<i>Any use in past 30 days</i>	6.1 (± 2.5)	3.8 (± 0.6)
34. Use methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.	Local (n = 340)	State (n = 4,955)
a. None	97.1% (± 1.8%)	97.1% (± 0.7%)
b. 1–2 days	1.5 (± 1.3)	1.5 (± 0.5)
c. 3–5 days	0.9 (± 1.0)	0.5 (± 0.2)
d. 6–9 days	0.3 (± 0.6)	0.4 (± 0.2)
e. 10 or more days	0.3 (± 0.6)	0.5 (± 0.2)
<i>Any use in past 30 days</i>	2.9 (± 1.8)	2.9 (± 0.7)

35.	Use psychedelics (angel dust, LSD, acid, microdot, PCP, magic mushrooms)?	Local (n = 340)	State (n = 4,954)
a.	None	94.1% (± 2.5%)	96.0% (± 0.7%)
b.	1–2 days	3.8 (± 2.0)	2.1 (± 0.4)
c.	3–5 days	1.2 (± 1.1)	0.9 (± 0.3)
d.	6–9 days	0.3 (± 0.6)	0.4 (± 0.2)
e.	10 or more days	0.6 (± 0.8)	0.6 (± 0.2)
	<i>Any use in past 30 days</i>	5.9 (± 2.5)	4.0 (± 0.7)
36.	Use Ecstasy or MDMA?	Local (n = 341)	State (n = 4,951)
a.	None	96.8% (± 1.9%)	96.8% (± 0.8%)
b.	1–2 days	1.5 (± 1.3)	1.8 (± 0.5)
c.	3–5 days	0.9 (± 1.0)	0.7 (± 0.3)
d.	6–9 days	0.6 (± 0.8)	0.3 (± 0.2)
e.	10 or more days	0.3 (± 0.6)	0.3 (± 0.1)
	<i>Any use in past 30 days</i>	3.2 (± 1.9)	3.2 (± 0.8)
37.	Use cocaine or crack (coke, rock, snow)?	Local (n = 341)	State (n = 4,955)
a.	None	94.7% (± 2.4%)	97.3% (± 0.5%)
b.	1–2 days	2.9 (± 1.8)	1.1 (± 0.3)
c.	3–5 days	1.2 (± 1.1)	0.7 (± 0.2)
d.	6–9 days	0.9 (± 1.0)	0.5 (± 0.2)
e.	10 or more days	0.3 (± 0.6)	0.4 (± 0.2)
	<i>Any use in past 30 days</i>	5.3 (± 2.4)	2.7 (± 0.5)
38.	Use other illegal drugs, including amphetamines, heroin, and other drugs not included in 32–37?	Local (n = 341)	State (n = 4,957)
a.	None	97.1% (± 1.8%)	96.7% (± 0.5%)
b.	1–2 days	1.5 (± 1.3)	1.4 (± 0.3)
c.	3–5 days	0.6 (± 0.8)	0.7 (± 0.2)
d.	6–9 days	0.3 (± 0.6)	0.6 (± 0.2)
e.	10 or more days	0.6 (± 0.8)	0.6 (± 0.2)
	<i>Any use in past 30 days</i>	2.9 (± 1.8)	3.3 (± 0.5)

Other Tobacco-Related Questions

39.	Have you ever smoked cigarettes every day for 30 days?	Local (n = 340)	State (n = 4,954)
a.	No	85.3% (± 3.8%)	89.5% (± 1.2%)
b.	Yes	14.7 (± 3.8)	10.5 (± 1.2)
40.	If one of your best friends offered you a cigarette, would you smoke it?	Local (n = 341)	State (n = 4,921)
a.	Definitely no	59.5% (± 5.2%)	70.3% (± 1.5%)
b.	Probably no	15.8 (± 3.9)	14.8 (± 0.9)
c.	Probably yes	15.5 (± 3.8)	9.1 (± 0.9)
d.	Definitely yes	9.1 (± 3.1)	5.9 (± 0.8)

41.	Do you think that you will smoke a cigarette anytime in the next year?	Local (n = 341)	State (n = 4,920)
a.	Definitely no	51.6% (± 5.3%)	66.7% (± 1.8%)
b.	Probably no	19.9 (± 4.2)	16.1 (± 1.1)
c.	Probably yes	18.5 (± 4.1)	9.7 (± 1.2)
d.	Definitely yes	10.0 (± 3.2)	7.5 (± 0.8)
42.	How old were you the first time you smoked a whole cigarette?	Local (n = 340)	State (n = 4,922)
a.	Never have	57.9% (± 5.3%)	70.4% (± 2.2%)
b.	10 or younger	9.4 (± 3.1)	6.7 (± 1.0)
c.	11	4.1 (± 2.1)	3.9 (± 0.7)
d.	12	7.4 (± 2.8)	4.5 (± 0.7)
e.	13	8.5 (± 3.0)	4.9 (± 0.7)
f.	14	5.9 (± 2.5)	5.3 (± 0.5)
g.	15	6.2 (± 2.6)	3.6 (± 0.6)
h.	16	0.3 (± 0.6)	0.5 (± 0.2)
i.	17 or older	0.3 (± 0.6)	0.1 (± 0.1)
[Item 43 appears only on the elementary version of the survey.]			
44.	How much do you think people risk harming themselves if they smoke one to five cigarettes per day?	Local (n = 171)	State (n = 2,513)
a.	No risk	3.5% (± 2.8%)	2.9% (± 0.6%)
b.	Slight risk	7.6 (± 4.0)	9.2 (± 1.0)
c.	Moderate risk	36.8 (± 7.2)	30.8 (± 2.1)
d.	Great risk	48.5 (± 7.5)	52.9 (± 3.0)
e.	Not sure	3.5 (± 2.8)	4.2 (± 1.3)
45.	Do you think young people risk harming themselves if they smoke from 1–5 cigarettes per day? ^B (one to five cigarettes a day?) ^C	Local (n = 171)	State (n = 2,544)
a.	Definitely no	4.7% (± 3.2%)	5.0% (± 1.0%)
b.	Probably no	4.1 (± 3.0)	3.1 (± 0.9)
c.	Probably yes	19.9 (± 6.0)	20.6 (± 2.2)
d.	Definitely yes	71.4 (± 6.8)	71.3 (± 2.9)
46.	During the past year, did you practice ways to say NO to tobacco in any of your classes (for example: by role playing)?	Local (n = 170)	State (n = 2,536)
a.	Yes	25.9% (± 6.6%)	21.7% (± 3.5%)
b.	No	60.6 (± 7.4)	63.4 (± 3.3)
c.	Not sure	13.5 (± 5.1)	14.9 (± 1.5)
47.	During the past 30 days, on how many days did you use tobacco (cigarettes, cigars, or chew/dip) on school property?	Local (n = 171)	State (n = 2,535)
a.	0 days	87.1% (± 5.0%)	92.0% (± 1.4%)
b.	1–2 days	4.1 (± 3.0)	3.6 (± 0.9)
c.	3–9 days	5.3 (± 3.4)	2.4 (± 0.5)
d.	10–29 days	2.9 (± 2.5)	1.1 (± 0.5)
e.	All 30 days	0.6 (± 1.1)	1.0 (± 0.4)

48.	During the past 12 months, have you ever tried to quit using tobacco (cigarettes, cigars, chew/dip)?	Local (n = 171)	State (n = 2,527)
a.	I did not use tobacco during the past 12 months	66.7% (± 7.1%)	77.3% (± 2.4%)
b.	Yes	22.2 (± 6.2)	11.7 (± 1.7)
c.	No	11.1 (± 4.7)	11.0 (± 1.5)
49.	How old were you when you used chewing tobacco, snuff, or dip for the first time?	Local (n = 158)	State (n = 2,115)
a.	Never used	82.3% (± 6.0%)	86.9% (± 1.7%)
b.	10 or younger	3.2 (± 2.7)	2.7 (± 0.6)
c.	11	0.6 (± 1.2)	1.6 (± 0.5)
d.	12	2.5 (± 2.5)	1.6 (± 0.5)
e.	13	4.4 (± 3.2)	1.9 (± 0.7)
f.	14	2.5 (± 2.5)	2.5 (± 0.6)
g.	15	4.4 (± 3.2)	2.4 (± 0.8)
h.	16	0.0 (± 0.0)	0.4 (± 0.3)
i.	17 or older	0.0 (± 0.0)	0.1 (± 0.2)
50.	How old were you when you smoked a cigar, cigarillo, or little cigar for the first time?	Local (n = 158)	State (n = 2,110)
a.	Never used	65.8% (± 7.4%)	74.9% (± 2.5%)
b.	10 or younger	6.3 (± 3.8)	4.6 (± 1.0)
c.	11	3.8 (± 3.0)	2.9 (± 0.8)
d.	12	2.5 (± 2.5)	3.5 (± 0.8)
e.	13	8.2 (± 4.3)	4.5 (± 0.9)
f.	14	6.3 (± 3.8)	4.4 (± 0.7)
g.	15	7.0 (± 4.0)	4.2 (± 1.0)
h.	16	0.0 (± 0.0)	0.7 (± 0.4)
i.	17 or older	0.0 (± 0.0)	0.4 (± 0.3)
51.	Do you think smoking cigarettes makes young people look cool or fit in?	Local (n = 157)	State (n = 2,106)
a.	Definitely no	77.1% (± 6.6%)	84.9% (± 1.8%)
b.	Probably no	14.7 (± 5.5)	10.0 (± 1.5)
c.	Probably yes	4.5 (± 3.2)	3.7 (± 0.7)
d.	Definitely yes	3.8 (± 3.0)	1.4 (± 0.5)
52.	Do you think it is safe to smoke for only a year or two, as long as you quit after that?	Local (n = 157)	State (n = 2,096)
a.	Definitely no	68.8% (± 7.3%)	76.4% (± 2.5%)
b.	Probably no	17.2 (± 5.9)	14.0 (± 1.8)
c.	Probably yes	10.2 (± 4.7)	7.1 (± 1.4)
d.	Definitely yes	3.8 (± 3.0)	2.5 (± 0.7)
53.	Do you think the smoke from other people's cigarettes (secondhand smoke) is harmful to you?	Local (n = 157)	State (n = 2,091)
a.	Definitely no	8.3% (± 4.3%)	13.0% (± 2.5%)
b.	Probably no	9.6 (± 4.6)	3.8 (± 1.1)
c.	Probably yes	24.8 (± 6.8)	16.2 (± 2.1)
d.	Definitely yes	57.3 (± 7.7)	67.0 (± 3.4)

54.	Do you think you will be smoking cigarettes 5 years from now?	Local (n = 157)	State (n = 2,090)
a.	Definitely no	65.6% (± 7.4%)	73.8% (± 2.6%)
b.	Probably no	20.4 (± 6.3)	16.3 (± 2.1)
c.	Probably yes	9.6 (± 4.6)	7.9 (± 1.3)
d.	Definitely yes	4.5 (± 3.2)	2.1 (± 0.6)
55.	Some tobacco companies make items like sports gear, t-shirts, lighters, hats, jackets, and sunglasses that people can buy or receive for free. During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?	Local (n = 157)	State (n = 2,083)
a.	No	84.1% (± 5.7%)	88.0% (± 1.7%)
b.	Yes	15.9 (± 5.7)	12.1 (± 1.7)
56.	(Some tobacco companies make items like sports gear, t-shirts, lighters, hats, jackets, and sunglasses that people can buy or receive for free.) ^C Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses?	Local (n = 157)	State (n = 2,074)
a.	Definitely no	42.7% (± 7.7%)	51.5% (± 2.7%)
b.	Probably no	26.1 (± 6.9)	25.7 (± 2.3)
c.	Probably yes	22.9 (± 6.6)	17.1 (± 2.1)
d.	Definitely yes	8.3 (± 4.3)	5.8 (± 1.0)
57.	During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	Local (n = 156)	State (n = 2,067)
a.	0 days	40.4% (± 7.7%)	52.1% (± 2.4%)
b.	1–2 days	26.3 (± 6.9)	21.8 (± 1.7)
c.	3–4 days	12.2 (± 5.1)	8.8 (± 1.3)
d.	5–6 days	4.5 (± 3.3)	4.8 (± 1.0)
e.	7 days	16.7 (± 5.8)	12.6 (± 1.7)
58.	During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?	Local (n = 156)	State (n = 2,055)
a.	0 days	54.5% (± 7.8%)	64.6% (± 2.7%)
b.	1–2 days	17.3 (± 5.9)	15.2 (± 1.7)
c.	3–4 days	14.7 (± 5.6)	8.5 (± 1.4)
d.	5–6 days	5.8 (± 3.7)	4.1 (± 1.0)
e.	7 days	7.7 (± 4.2)	7.5 (± 1.3)
59.	During the past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?	Local (n = 153)	State (n = 2,034)
a.	Not in the past 30 days	15.0% (± 5.7%)	18.3% (± 2.7%)
b.	1–3 times in the past 30 days	16.3 (± 5.9)	18.5 (± 1.8)
c.	1–3 times per week	20.3 (± 6.4)	21.6 (± 1.7)
d.	Daily or almost daily	31.4 (± 7.4)	26.4 (± 1.9)
e.	More than once a day	17.0 (± 6.0)	15.2 (± 1.8)

	Local (n = 152)	State (n = 2,025)
60. Does anyone who lives with you now smoke cigarettes?		
a. No	65.1% (± 7.6%)	68.7% (± 2.4%)
b. Yes	34.9 (± 7.6)	31.3 (± 2.4)
61. About how many cigarettes have you smoked in your entire life?	Local (n = 150)	State (n = 2,013)
a. None	47.3% (± 8.0%)	63.2% (± 2.8%)
b. 1 or more puffs but never a whole cigarette	3.3 (± 2.9)	7.3 (± 1.2)
c. 1 cigarette	6.7 (± 4.0)	3.1 (± 0.7)
d. 2-5 cigarettes	11.3 (± 5.1)	6.1 (± 1.0)
e. 6-15 cigarettes (about 1/2 a pack total)	6.0 (± 3.8)	4.0 (± 0.9)
f. 16-25 cigarettes (about 1 pack total)	6.0 (± 3.8)	2.6 (± 0.5)
g. 26-99 cigarettes (more than 1 pack, but less than 5 packs)	4.0 (± 3.1)	4.5 (± 1.2)
h. 100 or more cigarettes (5 or more packs)	15.3 (± 5.8)	9.2 (± 1.5)
62. Do you want to stop using tobacco right now?	Local (n = 149)	State (n = 1,994)
a. I do not use tobacco now	76.5% (± 6.8%)	84.4% (± 1.9%)
b. Yes	13.4 (± 5.5)	7.8 (± 1.3)
c. No	10.1 (± 4.8)	7.8 (± 1.3)
63. How many times, if any, have you tried to quit using tobacco?	Local (n = 148)	State (n = 1,986)
a. I have never used tobacco regularly	71.0% (± 7.3%)	79.8% (± 2.2%)
b. None	7.4 (± 4.2)	7.3 (± 1.0)
c. 1 time	8.1 (± 4.4)	5.7 (± 1.0)
d. 2 times	6.1 (± 3.8)	3.5 (± 0.7)
e. 3-5 times	3.4 (± 2.9)	2.4 (± 0.7)
f. 6-9 times	2.0 (± 2.3)	0.8 (± 0.5)
g. 10 or more times	2.0 (± 2.3)	0.6 (± 0.4)
64. Have you ever participated in a program to help you quit using tobacco?	Local (n = 148)	State (n = 1,979)
a. I have never used tobacco regularly	65.5% (± 7.7%)	78.0% (± 2.1%)
b. Yes	5.4 (± 3.6)	3.2 (± 1.0)
c. No	29.1 (± 7.3)	18.8 (± 2.2)
65. Has either of your parents (or guardians) discussed the dangers of tobacco use with you?	Local (n = 148)	State (n = 1,978)
a. Mother (or female guardian) only	14.9% (± 5.7%)	17.5% (± 2.0%)
b. Father (or male guardian) only	5.4 (± 3.6)	4.0 (± 0.8)
c. Both	44.6 (± 8.0)	47.1 (± 2.9)
d. Neither	35.1 (± 7.7)	31.3 (± 2.4)
66. Have you heard about the Washington Tobacco Quit Line, a free telephone counseling service to help people your age quit using tobacco (cigarettes and other tobacco products)?	Local (n = 148)	State (n = 1,975)
a. No	69.6% (± 7.4%)	72.1% (± 2.3%)
b. Yes	14.9 (± 5.7)	13.0 (± 1.8)
c. Unsure	15.5 (± 5.8)	14.9 (± 1.8)

67.	During the past 30 days, how did you usually get your own tobacco? (Choose only one answer.)	Local (n = 149)	State (n = 1,967)
a.	I did not use tobacco during the past 30 days	71.8% (± 7.2%)	82.7% (± 1.8%)
b.	I bought it in a store such as a convenience store, supermarket, discount store or gas station	4.7 (± 3.4)	2.2 (± 0.7)
c.	I bought it from a vending machine	0.0 (± 0.0)	0.7 (± 0.4)
d.	I gave someone else money to buy them for me	8.7 (± 4.5)	5.5 (± 0.9)
e.	I borrowed (or bummed) them from someone else	8.1 (± 4.4)	3.7 (± 0.8)
f.	A person 18 years old or older gave them to me	1.3 (± 1.8)	2.2 (± 0.6)
g.	I took them from a store or a family member	1.3 (± 1.8)	0.9 (± 0.5)
h.	I got them some other way	4.0 (± 3.2)	2.1 (± 0.5)
68.	Do you think you will try a cigarette soon? [†]	Local (n = 141)	State (n = 1,179)
a.	I have already tried smoking cigarettes	48.9% (± 8.3%)	37.9% (± 2.8%)
b.	No	43.3 (± 8.2)	56.9 (± 3.2)
c.	Yes	7.8 (± 4.4)	5.2 (± 1.5)
69.	Are the cigarettes that you usually smoke menthol cigarettes? [†]	Local (n = 143)	State (n = 1,182)
a.	I do not smoke cigarettes	69.2% (± 7.6%)	80.6% (± 2.8%)
b.	Yes	9.1 (± 4.7)	6.9 (± 1.4)
c.	No	21.7 (± 6.8)	12.4 (± 2.1)
70.	When you last tried to quit, how long did you stay off tobacco? [†]	Local (n = 142)	State (n = 1,174)
a.	I have never used tobacco regularly	72.5% (± 7.4%)	79.8% (± 2.9%)
b.	I have never tried to quit	2.1 (± 2.4)	5.3 (± 1.3)
c.	Less than a day	2.1 (± 2.4)	1.5 (± 0.8)
d.	1-7 days	3.5 (± 3.0)	3.4 (± 0.9)
e.	More than 7 days but less than 30 days	4.9 (± 3.6)	2.1 (± 0.8)
f.	More than 30 days but less than 6 months	5.6 (± 3.8)	2.3 (± 0.8)
g.	More than 6 months but less than a year	2.8 (± 2.7)	1.2 (± 0.6)
h.	More than a year	6.3 (± 4.0)	4.3 (± 1.1)

Other Alcohol- and Drug-Related Questions

71.	How much do you think people risk harming themselves if they smoke marijuana occasionally?	Local (n = 172)	State (n = 2,505)
a.	No risk	11.6% (± 4.8%)	11.9% (± 1.6%)
b.	Slight risk	18.6 (± 5.8)	18.3 (± 1.8)
c.	Moderate risk	34.9 (± 7.1)	33.1 (± 2.0)
d.	Great risk	33.1 (± 7.0)	33.7 (± 2.9)
e.	Not sure	1.7 (± 2.0)	3.1 (± 1.1)
72.	Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)	Local (n = 341)	State (n = 4,916)
a.	None	78.3% (± 4.4%)	81.3% (± 1.7%)
b.	Once	10.3 (± 3.2)	7.5 (± 0.8)
c.	Twice	5.3 (± 2.4)	5.1 (± 0.7)
d.	3-5 times	2.6 (± 1.7)	3.8 (± 0.5)
e.	6-9 times	1.5 (± 1.3)	1.0 (± 0.2)
f.	10 or more times	2.1 (± 1.5)	1.4 (± 0.4)

73.	How many times in the past year (12 months) have you been drunk or high at school?	Local (n = 341)	State (n = 4,910)
a.	Never	81.2% (± 4.1%)	83.5% (± 1.9%)
b.	1–2 times	7.6 (± 2.8)	6.8 (± 1.2)
c.	3–5 times	5.9 (± 2.5)	3.7 (± 0.7)
d.	6–9 times	1.8 (± 1.4)	1.5 (± 0.4)
e.	10 or more times	3.5 (± 2.0)	4.6 (± 0.7)

Other Health Concerns

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Nutrition and Fitness

74.	Overweight: “Overweight” includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). “At risk for overweight” includes students who are in the top 15% but not the top 5%. (Computed from numeric responses to “How tall are you without your shoes on?” and “How much do you weigh without your shoes on?”)	Local (n = 161)	State (n = 2,353)
	Overweight	10.6% (± 4.7%)	9.5% (± 1.5%)
	At risk for overweight	11.8 (± 5.0)	12.7 (± 1.3)
	Not overweight	77.6 (± 6.4)	77.8 (± 2.0)

Note. Results are suppressed for building-level reports.

75.	How do you describe your weight?	Local (n = 171)	State (n = 2,495)
a.	Very underweight	4.1% (± 3.0%)	2.4% (± 0.6%)
b.	Slightly underweight	12.3 (± 4.9)	13.8 (± 1.3)
c.	About the right weight	50.3 (± 7.5)	51.7 (± 2.0)
d.	Slightly overweight	22.2 (± 6.2)	26.8 (± 1.7)
e.	Very overweight	11.1 (± 4.7)	5.3 (± 0.9)
76.	Which of the following are you trying to do about your weight?	Local (n = 170)	State (n = 2,496)
a.	I am not trying to do anything about my weight ^o	27.7% (± 6.7%)	30.5% (± 2.3%)
b.	Lose weight	49.4 (± 7.5)	42.0 (± 1.9)
c.	Gain weight	7.7 (± 4.0)	12.1 (± 1.4)
d.	Stay the same weight	15.3 (± 5.4)	15.4 (± 1.4)
77.	During the past 30 days, did you do any of the following to lose weight or keep from gaining weight?	Local (n = 170)	State (n = 2,482)
a.	Not trying to do anything about my weight	34.1% (± 7.1%)	39.2% (± 1.9%)
b.	I ate less food, fewer calories or foods low in fat	11.2 (± 4.7)	9.0 (± 1.5)
c.	I exercised	24.1 (± 6.4)	22.8 (± 1.3)
d.	Both B & C	30.6 (± 6.9)	28.9 (± 2.1)

78.	During the past 30 days, did you do any of the following to lose weight or keep from gaining weight?	Local (n = 170)	State (n = 2,478)
	<ul style="list-style-type: none"> • Gone without eating for 24 hours or more (also called fasting); • Taken diet pills, powders or liquids without a doctor's advice; • Vomited or taken laxatives 		
a.	No	81.8% (± 5.8%)	87.1% (± 1.4%)
b.	Yes	18.2 (± 5.8)	12.9 (± 1.4)

[Item 79 appears only on the elementary version of the survey.]

80.	Number of servings of fruits and vegetables eaten per day (Computed from questions about the number and types of fruits and vegetables eaten over the past 7 days.)	Local (n = 167)	State (n = 2,431)
	Less than 1	7.8% (± 4.1%)	10.9% (± 1.1%)
	1 to less than 3	42.5 (± 7.5)	43.5 (± 1.7)
	3 to less than 5	25.2 (± 6.6)	23.3 (± 1.9)
	5 or more	24.6 (± 6.5)	22.3 (± 2.3)
81.	How often do you eat dinner with your family?	Local (n = 170)	State (n = 2,475)
a.	Never	9.4% (± 4.4%)	6.4% (± 0.9%)
b.	Rarely	14.1 (± 5.2)	13.0 (± 1.5)
c.	Sometimes	18.8 (± 5.9)	20.2 (± 1.4)
d.	Most of the time	37.1 (± 7.3)	38.3 (± 1.6)
e.	Always	20.6 (± 6.1)	22.0 (± 1.5)
82.	How many sodas or pops did you drink yesterday? (Do not count diet soda.)	Local (n = 168)	State (n = 2,392)
a.	None	41.1% (± 7.4%)	46.1% (± 2.6%)
b.	1	25.6 (± 6.6)	28.1 (± 1.9)
c.	2	19.1 (± 5.9)	13.5 (± 1.5)
d.	3	10.1 (± 4.6)	6.8 (± 1.3)
e.	4 or more	4.2 (± 3.0)	5.5 (± 1.3)

On how many of the past 7 days did you:

83.	Exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?	Local (n = 169)	State (n = 2,448)
a.	0 days	10.7% (± 4.6%)	12.2% (± 1.9%)
b.	1 day	4.7 (± 3.2)	7.3 (± 1.4)
c.	2 days	4.1 (± 3.0)	7.5 (± 1.4)
d.	3 days	9.5 (± 4.4)	11.6 (± 2.1)
e.	4 days	7.7 (± 4.0)	8.5 (± 1.6)
f.	5 days	26.6 (± 6.7)	18.1 (± 2.7)
g.	6 days	7.7 (± 4.0)	10.3 (± 1.3)
h.	7 days	29.0 (± 6.8)	24.4 (± 2.1)

84.	Do physical activity for at least 30 minutes that did not make you sweat and breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?	Local		State	
		(n = 169)		(n = 2,441)	
	a. 0 days	16.6%	(± 5.6%)	21.8%	(± 1.8%)
	b. 1 day	8.9	(± 4.3)	12.3	(± 1.2)
	c. 2 days	17.2	(± 5.7)	13.6	(± 1.2)
	d. 3 days	13.0	(± 5.1)	11.4	(± 1.3)
	e. 4 days	5.3	(± 3.4)	6.6	(± 0.9)
	f. 5 days	11.8	(± 4.9)	10.4	(± 1.8)
	g. 6 days	5.9	(± 3.5)	4.5	(± 0.7)
	h. 7 days	21.3	(± 6.2)	19.5	(± 1.3)
85.	Do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?	Local		State	
		(n = 168)		(n = 2,444)	
	a. 0 days	13.7%	(± 5.2%)	18.8%	(± 2.9%)
	b. 1 day	11.9	(± 4.9)	9.3	(± 1.8)
	c. 2 days	8.9	(± 4.3)	11.4	(± 1.3)
	d. 3 days	10.7	(± 4.7)	13.1	(± 2.5)
	e. 4 days	7.7	(± 4.0)	9.5	(± 1.3)
	f. 5 days	18.5	(± 5.9)	17.8	(± 4.2)
	g. 6 days	8.9	(± 4.3)	5.3	(± 1.1)
	h. 7 days	19.6	(± 6.0)	15.0	(± 1.7)
86.	On an average school day, how many hours do you watch TV?	Local		State	
		(n = 168)		(n = 2,433)	
	a. I do not watch TV on an average school day	12.5%	(± 5.0%)	11.2%	(± 1.3%)
	b. Less than 1 hour per day	22.6	(± 6.3)	19.7	(± 2.0)
	c. 1 hour per day	20.2	(± 6.1)	18.6	(± 1.5)
	d. 2 hours per day	16.7	(± 5.6)	23.1	(± 1.7)
	e. 3 hours per day	13.1	(± 5.1)	15.4	(± 1.6)
	f. 4 hours per day	6.0	(± 3.6)	5.7	(± 0.8)
	g. 5 or more hours per day	8.9	(± 4.3)	6.4	(± 1.2)
87.	On an average school day, how many hours do you play video games or use a computer for fun? (Include activities such as Nintendo, Game Boy, Play Station, and computer games.)	Local		State	
		(n = 167)		(n = 2,428)	
	a. I do not play video games or use a computer for fun on an average school day	35.9%	(± 7.3%)	33.7%	(± 2.4%)
	b. Less than 1 hour per day	25.2	(± 6.6)	24.9	(± 2.2)
	c. 1 hour per day	17.4	(± 5.7)	16.6	(± 1.6)
	d. 2 hours per day	8.4	(± 4.2)	11.5	(± 1.6)
	e. 3 hours per day	4.8	(± 3.2)	6.8	(± 1.5)
	f. 4 hours per day	3.6	(± 2.8)	2.4	(± 0.5)
	g. 5 or more hours per day	4.8	(± 3.2)	4.0	(± 0.8)

[Item 88 appears only on the elementary version of the survey.]

89.	In an average week when you are in school, on how many days do you go to physical education (PE) classes?	Local (n = 167)	State (n = 2,413)
a.	0 days	24.6% (± 6.5%)	44.6% (± 7.4%)
b.	1 day	2.4 (± 2.3)	1.7 (± 0.7)
c.	2 days	1.8 (± 2.0)	3.2 (± 1.5)
d.	3 days	1.8 (± 2.0)	12.9 (± 9.9)
e.	4 days	2.4 (± 2.3)	2.8 (± 2.5)
f.	5 days	67.1 (± 7.1)	34.9 (± 10.8)
90.	During an average PE class, how many minutes do you spend actually exercising or playing sports?	Local (n = 167)	State (n = 2,407)
a.	I do not take PE	25.2% (± 6.6%)	42.2% (± 6.9%)
b.	Less than 10 minutes	4.2 (± 3.0)	1.7 (± 0.6)
c.	10–20 minutes	5.4 (± 3.4)	4.4 (± 1.2)
d.	21–30 minutes	16.8 (± 5.7)	9.3 (± 3.1)
e.	31–40 minutes	22.8 (± 6.4)	16.1 (± 3.5)
f.	More than 40 minutes	25.8 (± 6.6)	26.5 (± 5.4)

Health Conditions and Health Care

91.	Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more?	Local (n = 165)	State (n = 2,389)
a.	Yes	12.1% (± 5.0%)	12.7% (± 1.6%)
b.	No	78.2 (± 6.3)	74.8 (± 1.8)
c.	Not sure	9.7 (± 4.5)	12.4 (± 1.4)
92.	Do you have any long-term emotional problems or learning disabilities lasting or expected to last 6 months or more?	Local (n = 165)	State (n = 2,384)
a.	Yes	11.5% (± 4.9%)	10.6% (± 1.8%)
b.	No	77.6 (± 6.4)	80.5 (± 2.2)
c.	Not sure	10.9 (± 4.8)	8.9 (± 1.1)
93.	Would other people consider you to have a disability or long-term health problem including physical health, emotional, or learning problems?	Local (n = 164)	State (n = 2,378)
a.	Yes	10.4% (± 4.7%)	10.2% (± 1.5%)
b.	No	73.8 (± 6.7)	78.6 (± 1.8)
c.	Not sure	15.9 (± 5.6)	11.3 (± 1.3)
94.	Are you limited in any activities because of a disability or long-term health problem including physical health, emotional, or learning problems (because of any physical disabilities or long-term health problem lasting or) ^c expected to last 6 months or more?	Local (n = 164)	State (n = 2,366)
a.	Yes	10.4% (± 4.7%)	8.7% (± 1.1%)
b.	No	84.8 (± 5.5)	86.5 (± 1.4)
c.	Not sure	4.9 (± 3.3)	4.9 (± 0.8)
95.	Have you ever been told by a doctor or other health professional that you had asthma?	Local (n = 163)	State (n = 2,365)
a.	Yes	17.2% (± 5.8%)	18.7% (± 1.8%)
b.	No	77.9 (± 6.4)	77.9 (± 2.0)
c.	Not sure	4.9 (± 3.3)	3.5 (± 0.7)

96.	During the past 12 months, have you had an asthma attack or taken asthma medication?	Local (n = 163)	State (n = 2,358)
a.	Never had asthma	52.2% (± 7.7%)	50.5% (± 2.9%)
b.	Yes	18.4 (± 6.0)	22.2 (± 1.8)
c.	No	27.0 (± 6.8)	25.2 (± 2.3)
d.	Not sure	2.5 (± 2.4)	2.2 (± 0.8)
97.	When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?	Local (n = 163)	State (n = 2,349)
a.	During the past 12 months	60.7% (± 7.5%)	62.0% (± 3.3%)
b.	Between 12 and 24 months ago	12.3 (± 5.0)	15.0 (± 1.2)
c.	More than 24 months ago	8.0 (± 4.2)	6.9 (± 0.9)
d.	Never	5.5 (± 3.5)	5.7 (± 1.3)
e.	Not sure	13.5 (± 5.3)	10.5 (± 1.9)
98.	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?	Local (n = 162)	State (n = 2,345)
a.	During the past 12 months	73.5% (± 6.8%)	74.3% (± 2.6%)
b.	Between 12 and 24 months ago	11.7 (± 5.0)	11.0 (± 1.1)
c.	More than 24 months ago	7.4 (± 4.0)	7.0 (± 1.4)
d.	Never	0.6 (± 1.2)	2.1 (± 0.5)
e.	Not sure	6.8 (± 3.9)	5.5 (± 1.3)

Safety

99.	When you rode a motorcycle in the past 12 months, how often did you wear a helmet?	Local (n = 170)	State (n = 2,543)
a.	I did not ride a motorcycle during the past 12 months	66.5% (± 7.1%)	70.8% (± 3.1%)
b.	Never wore a helmet	8.8 (± 4.3)	4.7 (± 1.1)
c.	Rarely wore a helmet	3.5 (± 2.8)	1.9 (± 0.7)
d.	Sometimes wore a helmet	1.2 (± 1.6)	2.2 (± 0.6)
e.	Most of the time wore a helmet	5.9 (± 3.5)	5.2 (± 0.9)
f.	Always wore a helmet	14.1 (± 5.2)	15.3 (± 2.1)
100.	When you rode a bicycle during the past 12 months, how often did you wear a helmet?	Local (n = 171)	State (n = 2,551)
a.	I did not ride a bicycle in the past 12 months	29.2% (± 6.8%)	26.1% (± 2.0%)
b.	Never wore a helmet	48.5 (± 7.5)	41.1 (± 3.0)
c.	Rarely wore a helmet	6.4 (± 3.7)	9.1 (± 1.2)
d.	Sometimes wore a helmet	5.3 (± 3.4)	6.8 (± 1.0)
e.	Most of the time wore a helmet	4.1 (± 3.0)	6.9 (± 1.3)
f.	Always wore a helmet	6.4 (± 3.7)	10.0 (± 2.0)

[Item 101 and 102 appear only on the elementary version of the survey.]

103.	How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	Local (n = 171)	State (n = 2,556)
a.	Never go boating	21.1% (± 6.1%)	18.1% (± 3.4%)
b.	Never	20.5 (± 6.1)	15.4 (± 1.7)
c.	Less than half the time	13.5 (± 5.1)	14.1 (± 2.0)
d.	About half the time	8.8 (± 4.2)	11.0 (± 1.5)
e.	More than half the time	9.9 (± 4.5)	14.7 (± 1.8)
f.	Always	26.3 (± 6.6)	26.6 (± 2.3)

104.	How often do you wear a seat belt when riding in a car (driven by someone else) ^{B?}	Local (n = 171)	State (n = 2,557)
a.	Never	0.6% (± 1.1%)	1.5% (± 0.7%)
b.	Rarely	4.1 (± 3.0)	2.6 (± 0.6)
c.	Sometimes	7.0 (± 3.8)	5.8 (± 1.1)
d.	Most of the time	25.2 (± 6.5)	22.6 (± 1.5)
e.	Always	63.2 (± 7.2)	67.5 (± 2.1)
105.	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	Local (n = 170)	State (n = 2,545)
a.	0 times	68.8% (± 7.0%)	75.8% (± 1.9%)
b.	1 time	15.3 (± 5.4)	9.3 (± 1.1)
c.	2–3 times	9.4 (± 4.4)	7.9 (± 1.1)
d.	4–5 times	2.4 (± 2.3)	2.4 (± 0.6)
e.	6 or more times	4.1 (± 3.0)	4.6 (± 0.8)
[Item 106 appears only on the elementary version of the survey.]			
107.	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	Local (n = 169)	State (n = 2,542)
a.	0 times	87.6% (± 5.0%)	93.3% (± 1.0%)
b.	1 time	8.3 (± 4.2)	2.8 (± 0.6)
c.	2–3 times	1.8 (± 2.0)	1.9 (± 0.5)
d.	4–5 times	0.6 (± 1.2)	0.7 (± 0.3)
e.	6 or more times	1.8 (± 2.0)	1.4 (± 0.5)
108.	In the past 30 days, when you bicycled or walked in your neighborhood or to school did you have enough room to walk or bike?	Local (n = 158)	State (n = 2,179)
a.	Yes	67.1% (± 7.3%)	69.8% (± 3.1%)
b.	No	10.8 (± 4.8)	7.1 (± 1.2)
c.	I did not walk or ride a bike	22.2 (± 6.5)	23.1 (± 3.1)
109.	In the past 30 days, when you bicycled or walked in your neighborhood or to school was it easy to cross the streets?	Local (n = 156)	State (n = 2,177)
a.	Yes	55.8% (± 7.8%)	54.5% (± 3.2%)
b.	Sometimes yes and sometimes no	16.0 (± 5.8)	19.6 (± 2.6)
c.	No	7.1 (± 4.0)	4.7 (± 1.4)
d.	I did not cross any streets	3.9 (± 3.0)	4.1 (± 1.1)
e.	I did not walk or ride a bike	17.3 (± 5.9)	17.1 (± 3.0)
110.	In the past 30 days, when you bicycled or walked in your neighborhood or to school were there dogs or people who bothered you or made you feel uneasy? ^B / who scared you? ^C	Local (n = 156)	State (n = 2,170)
a.	Yes, dogs.	14.7% (± 5.6%)	12.4% (± 1.6%)
b.	Yes, people.	9.0 (± 4.5)	7.7 (± 1.3)
c.	Yes, both dogs and people	9.0 (± 4.5)	6.6 (± 1.3)
d.	No	47.4 (± 7.8)	53.7 (± 3.4)
e.	I did not walk or ride a bike	19.9 (± 6.3)	19.6 (± 3.4)

Behaviors Related to Intentional Injuries

111. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club for self-protection or because you thought you might need it in a fight? (DO NOT include carrying a weapon for hunting, fishing, or camping.)	Local (n = 344)	State (n = 5,090)
a. 0 days	92.2% (± 2.8%)	91.6% (± 1.0%)
b. 1 day	2.0 (± 1.5)	2.6 (± 0.3)
c. 2–3 days	2.9 (± 1.8)	2.1 (± 0.4)
d. 4–5 days	0.6 (± 0.8)	0.7 (± 0.2)
e. 6 or more days	2.3 (± 1.6)	3.0 (± 0.6)
112. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?	Local (n = 344)	State (n = 5,081)
a. 0 days	93.0% (± 2.7%)	94.0% (± 0.9%)
b. 1 day	3.2 (± 1.9)	1.9 (± 0.4)
c. 2–3 days	2.3 (± 1.6)	1.6 (± 0.4)
d. 4–5 days	0.0 (± 0.0)	0.4 (± 0.2)
e. 6 or more days	1.5 (± 1.3)	2.1 (± 0.5)
[Item 113 appears only on the elementary version of the survey.]		
114. During the past 12 months, how many times were you in a physical fight?	Local (n = 342)	State (n = 5,081)
a. 0 times	71.4% (± 4.8%)	73.5% (± 1.3%)
b. 1 time	12.9 (± 3.5)	12.7 (± 0.8)
c. 2–3 times	10.5 (± 3.3)	8.5 (± 0.9)
d. 4–5 times	1.2 (± 1.1)	2.4 (± 0.4)
e. 6 or more times	4.1 (± 2.1)	3.0 (± 0.4)
115. During the past 12 months, have you been a member of a gang?	Local (n = 338)	State (n = 4,873)
a. No	93.8% (± 2.6%)	95.3% (± 0.9%)
b. Yes	6.2 (± 2.6)	4.7 (± 0.9)
116. During the past 30 days, on how many days did you carry a gun? (Do not include carrying a gun while hunting.)	Local (n = 171)	State (n = 2,554)
a. 0 days	93.6% (± 3.7%)	96.6% (± 0.7%)
b. 1 day	4.1 (± 3.0)	1.4 (± 0.5)
c. 2–3 days	1.2 (± 1.6)	0.7 (± 0.3)
d. 4–5 days	0.6 (± 1.1)	0.2 (± 0.2)
e. 6 or more days	0.6 (± 1.1)	1.2 (± 0.4)
117. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?	Local (n = 171)	State (n = 2,548)
a. 0 times	94.7% (± 3.4%)	96.3% (± 0.9%)
b. 1 time	4.7 (± 3.2)	2.4 (± 0.6)
c. 2–3 times	0.6 (± 1.1)	0.8 (± 0.3)
d. 4–5 times	0.0 (± 0.0)	0.3 (± 0.2)
e. 6 or more times	0.0 (± 0.0)	0.2 (± 0.3)

[Item 118 appears only on the elementary version of the survey.]

119.	During the past 12 months, how many times were you in a physical fight on school property?	Local (n = 171)	State (n = 2,548)
a.	0 times	83.6% (± 5.5%)	87.7% (± 1.6%)
b.	1 time	8.8 (± 4.2)	8.0 (± 1.3)
c.	2–3 times	5.3 (± 3.4)	2.8 (± 0.6)
d.	4–5 times	0.6 (± 1.1)	0.7 (± 0.4)
e.	6 or more times	1.8 (± 2.0)	0.8 (± 0.4)
120.	I try to work out conflicts or disagreements by talking about them.	Local (n = 170)	State (n = 2,544)
a.	Almost always	28.8% (± 6.8%)	32.2% (± 2.3%)
b.	Often	21.2 (± 6.1)	20.7 (± 2.1)
c.	Sometimes	25.3 (± 6.5)	23.2 (± 1.8)
d.	Seldom	14.1 (± 5.2)	11.7 (± 1.2)
e.	Never	10.6 (± 4.6)	12.2 (± 2.1)
[Item 121 appears only on the elementary version of the survey.]			
122.	During the past 12 months, did your boyfriend or girlfriend ever limit your activities, threaten you, or make you feel unsafe in any other way? [†]	Local (n = 144)	State (n = 1,186)
a.	No	85.4% (± 5.8%)	91.0% (± 2.1%)
b.	Yes	14.6 (± 5.8)	9.0 (± 2.1)
123.	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? [†]	Local (n = 143)	State (n = 1,185)
a.	No	91.6% (± 4.5%)	92.0% (± 2.1%)
b.	Yes	8.4 (± 4.5)	8.0 (± 2.1)
124.	Have you ever been physically abused by an adult? [†]	Local (n = 143)	State (n = 1,182)
a.	No	70.6% (± 7.5%)	81.8% (± 3.0%)
b.	Yes	29.4 (± 7.5)	18.2 (± 3.0)
125.	Not counting TV and movies, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically hurt another adult more than one time? [†]	Local (n = 139)	State (n = 1,179)
a.	No	51.1% (± 8.3%)	63.1% (± 2.3%)
b.	Yes	48.9 (± 8.3)	36.9 (± 2.3)

Depression

126.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Local (n = 334)	State (n = 4,776)
a.	Yes [°]	29.6% (± 4.9%)	29.5% (± 1.3%)
b.	No	70.4 (± 4.9)	70.5 (± 1.3)
127.	During the past 12 months, did you ever seriously consider attempting suicide?	Local (n = 170)	State (n = 2,545)
a.	Yes	23.5% (± 6.4%)	18.4% (± 1.5%)
b.	No	76.5 (± 6.4)	81.7 (± 1.5)

128.	During the past 12 months, did you make a plan about how you would attempt suicide?	Local (n = 170)	State (n = 2,539)
a.	Yes	19.4% (± 5.9%)	14.3% (± 1.2%)
b.	No	80.6 (± 5.9)	85.7 (± 1.2)
129.	During the past 12 months, how many times did you actually attempt suicide?	Local (n = 169)	State (n = 2,534)
a.	0 times	87.6% (± 5.0%)	91.1% (± 1.4%)
b.	1 time	4.7 (± 3.2)	4.1 (± 0.8)
c.	2–3 times	4.1 (± 3.0)	2.6 (± 0.6)
d.	4–5 times	1.2 (± 1.6)	0.7 (± 0.3)
e.	6 or more times	2.4 (± 2.3)	1.5 (± 0.5)
130.	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	Local (n = 170)	State (n = 2,512)
a.	I did not attempt suicide during the past 12 months	80.6% (± 5.9%)	82.7% (± 2.0%)
b.	Yes	5.9 (± 3.5)	3.9 (± 0.8)
c.	No	13.5 (± 5.1)	13.5 (± 1.7)
[Item 131 and 132 appear only on the elementary version of the survey.]			
133.	When you feel sad or hopeless, are there people (or places) ^B that you can turn to for help?	Local (n = 168)	State (n = 2,528)
a.	I never feel sad or hopeless	25.6% (± 6.6%)	21.2% (± 1.7%)
b.	Yes	58.9 (± 7.4)	58.1 (± 2.1)
c.	No	7.7 (± 4.0)	8.7 (± 1.3)
d.	Not sure	7.7 (± 4.0)	12.0 (± 0.8)
134.	How likely would you be to seek help if you were feeling depressed or suicidal?	Local (n = 162)	State (n = 2,337)
a.	I never feel depressed or suicidal	37.0% (± 7.4%)	40.2% (± 1.7%)
b.	Very likely	18.5 (± 6.0)	18.8 (± 1.5)
c.	Somewhat likely	17.9 (± 5.9)	15.9 (± 1.7)
d.	Somewhat unlikely	10.5 (± 4.7)	11.0 (± 1.3)
e.	Very unlikely	16.1 (± 5.6)	14.2 (± 1.3)
135.	How likely would you be to seek help for a friend who you thought might be depressed or suicidal?	Local (n = 160)	State (n = 2,319)
a.	Very likely	54.4% (± 7.7%)	57.2% (± 1.6%)
b.	Somewhat likely	21.9 (± 6.4)	25.6 (± 1.5)
c.	Somewhat unlikely	9.4 (± 4.5)	7.3 (± 1.0)
d.	Very unlikely	14.4 (± 5.4)	9.9 (± 1.3)

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

136.	A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength quarrel or fight. In the last 30 days, how often have you been bullied?	Local (n = 335)	State (n = 4,849)
a.	I have not been bullied	74.6% (± 4.7%)	77.8% (± 1.7%)
b.	Once	9.6 (± 3.2)	10.5 (± 0.8)
c.	2–3 times	6.9 (± 2.7)	5.8 (± 0.6)
d.	About once a week	3.6 (± 2.0)	2.3 (± 0.6)
e.	Several times a week	5.4 (± 2.4)	3.6 (± 0.6)
137.	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?	Local (n = 171)	State (n = 2,551)
a.	0 days	93.6% (± 3.7%)	95.3% (± 1.0%)
b.	1 day	4.1 (± 3.0)	2.5 (± 0.6)
c.	2–3 days	2.3 (± 2.3)	1.1 (± 0.5)
d.	4–5 days	0.0 (± 0.0)	0.4 (± 0.3)
e.	6 or more days	0.0 (± 0.0)	0.7 (± 0.4)
138.	Has anyone ever made offensive racial comments or attacked you based on your race or ethnicity, either at school or on your way to or from school? [†]	Local (n = 144)	State (n = 1,206)
a.	No	63.2% (± 7.9%)	73.9% (± 3.7%)
b.	Yes	27.1 (± 7.3)	20.3 (± 2.9)
c.	Unsure	9.7 (± 4.8)	5.8 (± 1.5)
139.	Has anyone ever made offensive sexual comments to you—at school or on your way to or from school? [†]	Local (n = 144)	State (n = 1,201)
a.	No	47.9% (± 8.2%)	57.5% (± 2.7%)
b.	Yes	45.8 (± 8.1)	35.7 (± 2.2)
c.	Unsure	6.3 (± 4.0)	6.8 (± 1.6)
140.	Has anyone ever made offensive comments or attacked you because they thought you were gay or lesbian—at school or on your way to or from school? [†]	Local (n = 144)	State (n = 1,193)
a.	No	84.0% (± 6.0%)	85.8% (± 2.4%)
b.	Yes	11.8 (± 5.3)	9.6 (± 2.0)
c.	Unsure	4.2 (± 3.3)	4.5 (± 1.2)
141.	Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?	Local (n = 173)	State (n = 2,524)
a.	no	3.5% (± 2.7%)	3.3% (± 0.8%)
b.	yes	77.5 (± 6.2)	76.4 (± 3.4)
c.	I'm not sure	19.1 (± 5.9)	20.3 (± 3.1)

142. How good is your school at educating you about HIV/AIDS?	Local (n = 158)	State (n = 2,293)
a. Very good	18.4% (± 6.0%)	16.9% (± 2.8%)
b. Good	36.7 (± 7.5)	33.3 (± 2.7)
c. Fair	26.0 (± 6.8)	28.5 (± 1.6)
d. Poor	11.4 (± 5.0)	10.9 (± 2.0)
e. I have not had HIV/AIDS education at my school	7.6 (± 4.1)	10.5 (± 2.4)
143. Teachers at school encourage me to be the best I can be.	Local (n = 159)	State (n = 2,284)
a. Strongly disagree	6.3% (± 3.8%)	6.8% (± 1.1%)
b. Disagree	11.3 (± 4.9)	13.8 (± 1.4)
c. Not sure	27.7 (± 7.0)	26.3 (± 2.3)
d. Agree	40.9 (± 7.6)	42.6 (± 1.9)
e. Strongly agree	13.8 (± 5.4)	10.6 (± 1.5)
144. During the average week, how many hours do you spend in a supervised after-school activity either at school or away from school? Supervised activities include things such as sports, recreation, art, music, dance or drama activities, using libraries, doing volunteer work or service projects, religious activities, or club activities.	Local (n = 156)	State (n = 2,254)
a. None	30.8% (± 7.3%)	35.4% (± 2.9%)
b. 1–2 hours	27.6 (± 7.0)	20.9 (± 2.2)
c. 3–5 hours	16.0 (± 5.8)	17.4 (± 1.8)
d. 6–10 hours	9.6 (± 4.6)	12.4 (± 1.5)
e. 11 or more hours	16.0 (± 5.8)	14.1 (± 1.4)

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the items related to quality of life.

145. There are adults in my life who really care about me.	Local (n = 158)	State (n = 2,238)
a. 0 not at all true	5.7% (± 3.6%)	3.0% (± 0.9%)
b. 1	1.3 (± 1.7)	1.8 (± 0.5)
c. 2	2.5 (± 2.5)	2.3 (± 0.5)
d. 3	3.2 (± 2.7)	2.7 (± 0.8)
e. 4	2.5 (± 2.5)	2.7 (± 0.7)
f. 5	3.8 (± 3.0)	3.7 (± 0.8)
g. 6	1.9 (± 2.1)	2.5 (± 0.7)
h. 7	5.1 (± 3.4)	4.3 (± 0.8)
i. 8	8.9 (± 4.4)	5.7 (± 1.0)
j. 9	3.8 (± 3.0)	5.5 (± 1.0)
k. 10 completely true	61.4 (± 7.6)	65.8 (± 3.3)

	Local (n = 156)	State (n = 2,224)
146. I feel I am getting along with my parents or guardians.		
a. 0 not at all true	3.2% (± 2.8%)	4.9% (± 0.9%)
b. 1	5.1 (± 3.5)	2.7 (± 0.6)
c. 2	7.1 (± 4.0)	2.7 (± 0.8)
d. 3	3.2 (± 2.8)	3.3 (± 0.8)
e. 4	4.5 (± 3.3)	3.4 (± 0.8)
f. 5	5.8 (± 3.7)	6.7 (± 1.0)
g. 6	5.1 (± 3.5)	6.4 (± 1.0)
h. 7	7.7 (± 4.2)	10.2 (± 1.5)
i. 8	14.1 (± 5.5)	14.6 (± 1.6)
j. 9	16.7 (± 5.8)	13.9 (± 1.3)
k. 10 completely true	27.6 (± 7.0)	31.1 (± 2.0)
	Local (n = 157)	State (n = 2,217)
147. I look forward to the future.		
a. 0 not at all true	3.8% (± 3.0%)	3.0% (± 0.7%)
b. 1	1.9 (± 2.1)	1.3 (± 0.5)
c. 2	0.6 (± 1.2)	1.5 (± 0.6)
d. 3	1.3 (± 1.8)	1.6 (± 0.5)
e. 4	4.5 (± 3.2)	2.3 (± 0.6)
f. 5	7.0 (± 4.0)	4.6 (± 1.0)
g. 6	5.7 (± 3.6)	3.7 (± 0.9)
h. 7	5.7 (± 3.6)	6.5 (± 1.1)
i. 8	8.3 (± 4.3)	10.5 (± 1.3)
j. 9	10.2 (± 4.7)	13.6 (± 1.3)
k. 10 completely true	51.0 (± 7.8)	51.6 (± 2.2)
	Local (n = 157)	State (n = 2,217)
148. I feel good about myself.		
a. 0 not at all true	4.5% (± 3.2%)	3.5% (± 0.8%)
b. 1	1.3 (± 1.8)	1.9 (± 0.5)
c. 2	3.8 (± 3.0)	2.5 (± 0.7)
d. 3	3.8 (± 3.0)	3.0 (± 0.7)
e. 4	4.5 (± 3.2)	4.2 (± 1.0)
f. 5	9.6 (± 4.6)	8.4 (± 1.2)
g. 6	7.6 (± 4.2)	5.9 (± 1.0)
h. 7	12.7 (± 5.2)	11.2 (± 0.9)
i. 8	14.7 (± 5.5)	14.4 (± 1.3)
j. 9	11.5 (± 5.0)	16.3 (± 1.6)
k. 10 completely true	26.1 (± 6.9)	28.6 (± 2.3)

	Local (n = 156)	State (n = 2,213)
149. I am satisfied with the way my life is now.		
a. 0 not at all true	9.0% (± 4.5%)	6.3% (± 1.1%)
b. 1	3.9 (± 3.0)	3.8 (± 0.6)
c. 2	3.2 (± 2.8)	3.6 (± 0.8)
d. 3	3.9 (± 3.0)	3.8 (± 0.8)
e. 4	7.7 (± 4.2)	5.7 (± 1.0)
f. 5	9.0 (± 4.5)	8.5 (± 1.2)
g. 6	5.8 (± 3.7)	6.2 (± 1.1)
h. 7	10.3 (± 4.8)	11.0 (± 1.0)
i. 8	14.7 (± 5.6)	13.5 (± 1.5)
j. 9	13.5 (± 5.4)	14.8 (± 1.6)
k. 10 completely true	19.2 (± 6.2)	23.0 (± 1.5)
150. I feel alone in my life.		
a. 0 not at all true	43.3% (± 7.7%)	39.0% (± 2.4%)
b. 1	7.0 (± 4.0)	13.3 (± 1.4)
c. 2	8.9 (± 4.4)	8.4 (± 1.1)
d. 3	5.1 (± 3.4)	4.6 (± 0.7)
e. 4	4.5 (± 3.2)	3.6 (± 0.9)
f. 5	3.8 (± 3.0)	5.9 (± 0.9)
g. 6	3.8 (± 3.0)	4.0 (± 1.0)
h. 7	7.6 (± 4.2)	5.2 (± 0.7)
i. 8	4.5 (± 3.2)	5.3 (± 0.9)
j. 9	5.1 (± 3.4)	4.0 (± 0.9)
k. 10 completely true	6.4 (± 3.8)	6.7 (± 1.1)
151. Compared with others my age, my life is		
a. 0 much worse than others	6.4% (± 3.8%)	4.2% (± 1.2%)
b. 1	2.6 (± 2.5)	1.8 (± 0.5)
c. 2	4.5 (± 3.3)	2.8 (± 0.7)
d. 3	5.8 (± 3.7)	3.8 (± 0.7)
e. 4	3.9 (± 3.0)	4.9 (± 1.0)
f. 5	14.7 (± 5.6)	14.8 (± 1.5)
g. 6	7.7 (± 4.2)	8.5 (± 1.1)
h. 7	15.4 (± 5.7)	13.7 (± 1.8)
i. 8	12.2 (± 5.1)	15.3 (± 1.5)
j. 9	10.3 (± 4.8)	10.9 (± 1.5)
k. 10 much better than others	16.7 (± 5.8)	19.2 (± 1.2)

In the last month, how often have you felt that:

	Local (n = 157)	State (n = 2,132)
152. You were unable to control the important things in your life?		
a. Never	31.2% (± 7.3%)	27.1% (± 1.9%)
b. Almost never	23.6 (± 6.6)	23.1 (± 1.7)
c. Sometimes	26.1 (± 6.9)	30.6 (± 2.0)
d. Fairly often	11.5 (± 5.0)	11.8 (± 1.5)
e. Very often	7.6 (± 4.2)	7.4 (± 1.2)

	Local (n = 156)	State (n = 2,108)
153. You dealt successfully with irritating life hassles?		
a. Never	22.4% (± 6.5%)	12.8% (± 1.9%)
b. Almost never	10.9 (± 4.9)	9.8 (± 1.2)
c. Sometimes	25.0 (± 6.8)	33.8 (± 2.5)
d. Fairly often	31.4 (± 7.3)	28.3 (± 2.4)
e. Very often	10.3 (± 4.8)	15.3 (± 2.2)
154. You were effectively coping with important changes that were occurring in your life?	Local (n = 154)	State (n = 2,098)
a. Never	20.1% (± 6.3%)	11.9% (± 1.9%)
b. Almost never	13.6 (± 5.4)	8.7 (± 1.1)
c. Sometimes	28.6 (± 7.1)	30.7 (± 1.8)
d. Fairly often	20.1 (± 6.3)	29.8 (± 2.1)
e. Very often	17.5 (± 6.0)	18.9 (± 2.1)
155. You were on top of things?	Local (n = 154)	State (n = 2,093)
a. Never	12.3% (± 5.2%)	8.1% (± 1.3%)
b. Almost never	7.1 (± 4.1)	9.2 (± 1.5)
c. Sometimes	33.1 (± 7.4)	28.6 (± 2.9)
d. Fairly often	31.8 (± 7.4)	33.0 (± 1.8)
e. Very often	15.6 (± 5.7)	21.2 (± 2.9)

[Item 156 appears only on the elementary version of the survey.]

Risk and Protective Factor Scale Results

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research has shown that protective factors exert a positive influence against the negative influence of risk factors. The survey included substantial coverage of risk and protective factors based on the work of Drs. Hawkins and Catalano and associates at the University of Washington. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey items were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

Risk Factors

For each scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is listed. Higher percentages indicate that more students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

Community Risk Factors

	Local (<i>n</i> = 171)	State (<i>n</i> = 2,551)
Low neighborhood attachment (Items 157–159)	39.2% (± 7.3%)	45.0% (± 2.4%)
Laws and norms favorable to drug use (Items 160–165)	42.1% (± 7.4%)	38.7% (± 3.7%)
Perceived availability of drugs (Items 166–169)	38.6% (± 7.3%)	35.5% (± 3.1%)
Perceived availability of handguns (Item 170)	26.9% (± 6.6%)	21.9% (± 2.5%)

School Risk Factors

	Local (<i>n</i> = 171)	State (<i>n</i> = 2,468)
Academic failure (Items 195–196)	39.2% (± 7.3%)	46.8% (± 2.6%)
Low commitment to school (Items 179–185)	34.1% (± 7.1%)	37.3% (± 3.3%)

Peer-Individual Risk Factors

	Local (<i>n</i> = 169)	State (<i>n</i> = 2,368)
Early initiation of drugs (Items 213–218)	37.3% (± 7.3%)	32.5% (± 3.2%)
Early initiation of problem behavior (Items 219–222)	33.3% (± 7.1%)	36.7% (± 3.5%)
Favorable attitudes towards antisocial behavior (Items 223, 224, 226, 227)	38.0% (± 7.4%)	39.3% (± 2.9%)
Favorable attitudes toward drug use (Items 229–232)	39.8% (± 7.4%)	37.6% (± 3.2%)
Perceived risks of use (Items 197–200)	30.8% (± 7.0%)	34.8% (± 2.9%)

	(<i>n</i> = 165)	(<i>n</i> = 2,241)
Friends' use of drugs (Items 233–236)	37.0% (± 7.4%)	30.7% (± 2.9%)
Rewards for antisocial involvement (Items 201–204)	(<i>n</i> = 171) 40.9% (± 7.4%)	(<i>n</i> = 2,495) 41.8% (± 2.0%)
Intentions to use (Items 237–239)	(<i>n</i> = 164) 34.8% (± 7.3%)	(<i>n</i> = 2,235) 37.1% (± 2.9%)

Family Risk Factors

	Local (<i>n</i> = 164)	State (<i>n</i> = 1,362)
Poor family management (Items 244–251)	32.9% (± 7.2%)	36.6% (± 5.5%)
Antisocial behavior among familiar adults (Items 240–243)	(<i>n</i> = 172) 47.1% (± 7.5%)	(<i>n</i> = 2,440) 41.6% (± 3.4%)

Protective Factors

For each scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is listed. Higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.

Community Protective Factors

	Local (<i>n</i> = 172)	State (<i>n</i> = 2,500)
Opportunities for prosocial involvement (Items 171, 175–178)	48.3% (± 7.5%)	46.6% (± 2.9%)
Rewards for prosocial involvement (Items 172–174)	(<i>n</i> = 172) 63.4% (± 7.2%)	(<i>n</i> = 2,521) 60.3% (± 2.2%)

School Protective Factors

	Local (<i>n</i> = 172)	State (<i>n</i> = 2,526)
Opportunities for prosocial involvement (Items 186–190)	53.5% (± 7.4%)	59.6% (± 2.7%)
Rewards for prosocial involvement (Items 191–194)	(<i>n</i> = 172) 62.2% (± 7.3%)	(<i>n</i> = 2,527) 61.4% (± 2.5%)

Peer-Individual Protective Factors

	Local (<i>n</i> = 172)	State (<i>n</i> = 2,458)
Social skills (Items 209–212)	63.4% (± 7.2%)	64.0% (± 3.0%)
Belief in the moral order (Items 205–208)	(<i>n</i> = 172) 73.8% (± 6.6%)	(<i>n</i> = 2,502) 71.4% (± 2.0%)

Family Protective Factors

	Local (<i>n</i> = 163)	State (<i>n</i> = 1,332)
Opportunities for prosocial involvement (Items 252–254)	53.4% (± 7.7%)	56.7% (± 2.8%)
Rewards for prosocial involvement (Items 255–258)	(<i>n</i> = 163) 60.7% (± 7.5%)	(<i>n</i> = 1,329) 60.3% (± 4.1%)

Number of Risk or Protective Factors (Excluding optional Family scales)

Although individual risk and protective factors serve as modest predictors of problem behaviors, students with multiple risk factors (or few protective factors) are much more likely to use ATOD or engage in other problem behaviors than are their peers. This section reports the percentage of students with given numbers of risk and protective factors. The number of risk factors was calculated only for students who answered enough items to receive scores on all risk factors included in the survey; the number of protective factors was similarly calculated. Readers should remember as they interpret the results that the number of risk factors included in the survey has changed over time.

Number of Risk Factors	Local (n = 157)	State (n = 2,026)
3 or fewer	41.4% (± 7.7%)	40.1% (± 3.9%)
4 to 6	26.8 (± 6.9)	26.6 (± 1.3)
7 to 10*	22.3 (± 6.5)	23.2 (± 2.3)
11 to 14*	9.6 (± 4.6)	10.2 (± 1.8)

* Maximum of 6 on the elementary version

Number of Protective Factors	Local (n = 171)	State (n = 2,384)
0 to 1	10.5% (± 4.6%)	13.7% (± 1.9%)
2 to 3	37.4 (± 7.3)	29.6 (± 1.9)
4 to 5*	33.3 (± 7.1)	40.0 (± 2.0)
6*	18.7 (± 5.8)	16.7 (± 2.0)

* Maximum of 3 on the elementary version

Risk and Protective Factors: Individual Item Results

The remainder of the report provides results for the individual items used to compute the risk and protective factors reported in the previous section.

Community Domain

157. I like my neighborhood.	Local (n = 172)	State (n = 2,543)
a. NO!	1.7% (± 2.0%)	5.4% (± 1.0%)
b. no	10.5 (± 4.6)	12.0 (± 1.1)
c. yes	60.5 (± 7.3)	61.3 (± 2.2)
d. YES!	27.3 (± 6.7)	21.3 (± 2.3)
158. If I had to move, I would miss the neighborhood I now live in.	Local (n = 171)	State (n = 2,542)
a. NO!	9.4% (± 4.4%)	9.2% (± 1.4%)
b. no	24.0 (± 6.4)	29.5 (± 2.4)
c. yes	43.3 (± 7.4)	41.6 (± 1.8)
d. YES!	23.4 (± 6.4)	19.7 (± 2.3)
159. I'd like to get out of my neighborhood.	Local (n = 171)	State (n = 2,537)
a. NO!	24.0% (± 6.4%)	20.9% (± 1.4%)
b. no	52.1 (± 7.5)	49.5 (± 2.0)
c. yes	15.8 (± 5.5)	22.7 (± 1.6)
d. YES!	8.2 (± 4.1)	7.0 (± 0.9)

160.	How wrong would most adults in your neighborhood think it was for kids your age to use marijuana?	Local (n = 172)	State (n = 2,537)
a.	Very wrong	59.3% (± 7.4%)	58.0% (± 2.9%)
b.	Wrong	32.0 (± 7.0)	29.3 (± 1.8)
c.	A little bit wrong	6.4 (± 3.7)	10.3 (± 1.7)
d.	Not wrong at all	2.3 (± 2.3)	2.4 (± 0.6)
161.	How wrong would most adults in your neighborhood think it was for kids your age to drink alcohol?	Local (n = 171)	State (n = 2,537)
a.	Very wrong	36.3% (± 7.2%)	39.0% (± 2.5%)
b.	Wrong	42.1 (± 7.4)	39.5 (± 2.1)
c.	A little bit wrong	15.8 (± 5.5)	17.6 (± 1.8)
d.	Not wrong at all	5.9 (± 3.5)	3.9 (± 1.0)
162.	How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes?	Local (n = 170)	State (n = 2,535)
a.	Very wrong	38.2% (± 7.3%)	41.1% (± 2.5%)
b.	Wrong	38.8 (± 7.3)	35.0 (± 1.6)
c.	A little bit wrong	17.7 (± 5.7)	18.3 (± 2.3)
d.	Not wrong at all	5.3 (± 3.4)	5.6 (± 0.9)
163.	If a kid drank some beer, wine, or hard liquor (for example: vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?	Local (n = 171)	State (n = 2,521)
a.	NO!	24.0% (± 6.4%)	25.1% (± 3.1%)
b.	no	52.1 (± 7.5)	53.2 (± 1.8)
c.	yes	17.0 (± 5.6)	16.9 (± 2.3)
d.	YES!	7.0 (± 3.8)	4.8 (± 1.0)
164.	If a kid carried a handgun in your neighborhood would he or she be caught by the police?	Local (n = 172)	State (n = 2,517)
a.	NO!	19.2% (± 5.9%)	14.2% (± 1.9%)
b.	no	30.8 (± 6.9)	36.2 (± 2.5)
c.	yes	29.1 (± 6.8)	32.2 (± 2.6)
d.	YES!	20.9 (± 6.1)	17.4 (± 2.0)
165.	If a kid smoked marijuana in your neighborhood would he or she be caught by the police?	Local (n = 173)	State (n = 2,527)
a.	NO!	20.8% (± 6.1%)	23.3% (± 3.0%)
b.	no	49.7 (± 7.4)	47.1 (± 1.7)
c.	yes	18.5 (± 5.8)	22.1 (± 2.0)
d.	YES!	11.0 (± 4.7)	7.5 (± 1.2)
166.	If you wanted to get some beer, wine, or hard liquor (for example: vodka, whiskey, or gin), how easy would it be for you to get some?	Local (n = 172)	State (n = 2,524)
a.	Very hard	16.3% (± 5.5%)	16.3% (± 2.2%)
b.	Sort of hard	25.0 (± 6.5)	23.1 (± 2.1)
c.	Sort of easy	30.2 (± 6.9)	30.5 (± 2.2)
d.	Very easy	28.5 (± 6.7)	30.2 (± 2.5)

167.	If you wanted to get some cigarettes, how easy would it be for you to get some?	Local (n = 172)	State (n = 2,521)
a.	Very hard	23.8% (± 6.4%)	19.4% (± 2.5%)
b.	Sort of hard	16.3 (± 5.5)	21.5 (± 1.8)
c.	Sort of easy	20.9 (± 6.1)	24.2 (± 1.6)
d.	Very easy	39.0 (± 7.3)	35.0 (± 3.7)
168.	If you wanted to get some marijuana, how easy would it be for you to get some?	Local (n = 171)	State (n = 2,521)
a.	Very hard	29.2% (± 6.8%)	29.4% (± 2.8%)
b.	Sort of hard	17.0 (± 5.6)	19.9 (± 1.2)
c.	Sort of easy	25.2 (± 6.5)	22.1 (± 1.9)
d.	Very easy	28.7 (± 6.8)	28.6 (± 2.6)
169.	If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	Local (n = 171)	State (n = 2,511)
a.	Very hard	52.6% (± 7.5%)	51.9% (± 2.7%)
b.	Sort of hard	21.1 (± 6.1)	27.2 (± 2.0)
c.	Sort of easy	17.0 (± 5.6)	14.1 (± 1.8)
d.	Very easy	9.4 (± 4.4)	6.8 (± 1.2)
170.	If you wanted to get a handgun, how easy would it be for you to get one?	Local (n = 171)	State (n = 2,514)
a.	Very hard	46.8% (± 7.5%)	52.2% (± 3.5%)
b.	Sort of hard	26.3 (± 6.6)	25.9 (± 1.8)
c.	Sort of easy	14.0 (± 5.2)	12.2 (± 1.7)
d.	Very easy	12.9 (± 5.0)	9.7 (± 1.5)
171.	There are adults in my neighborhood I could talk to about something important.	Local (n = 172)	State (n = 2,529)
a.	NO!	10.5% (± 4.6%)	13.7% (± 1.6%)
b.	no	24.4 (± 6.4)	18.5 (± 1.7)
c.	yes	40.1 (± 7.3)	39.7 (± 2.1)
d.	YES!	25.0 (± 6.5)	28.1 (± 2.6)
172.	My neighbors notice when I am doing a good job and let me know.	Local (n = 172)	State (n = 2,519)
a.	NO!	23.3% (± 6.3%)	26.7% (± 2.0%)
b.	no	38.4 (± 7.3)	33.1 (± 1.7)
c.	yes	29.1 (± 6.8)	29.7 (± 1.9)
d.	YES!	9.3 (± 4.3)	10.5 (± 1.4)
173.	There are people in my neighborhood who encourage me to do my best.	Local (n = 172)	State (n = 2,517)
a.	NO!	18.0% (± 5.7%)	20.0% (± 1.5%)
b.	no	25.0 (± 6.5)	26.4 (± 2.3)
c.	yes	42.4 (± 7.4)	38.0 (± 1.7)
d.	YES!	14.5 (± 5.3)	15.5 (± 1.6)

174. There are people in my neighborhood who are proud of me when I do something well.	Local (n = 171)	State (n = 2,516)
a. NO!	18.7% (± 5.8%)	18.8% (± 1.4%)
b. no	26.3 (± 6.6)	26.4 (± 2.0)
c. yes	41.5 (± 7.4)	40.0 (± 1.9)
d. YES!	13.5 (± 5.1)	14.8 (± 2.0)

Which of the following activities do you regularly participate in:

175. Sports teams?	Local (n = 171)	State (n = 2,529)
a. Yes	66.7% (± 7.1%)	58.3% (± 2.3%)
b. No, even though this activity is available	31.0 (± 6.9)	37.5 (± 2.3)
c. No, because this activity is not available	2.3 (± 2.3)	4.2 (± 0.9)
176. Scouting (such as Cub Scouts, Boy Scouts, Girl Scouts, Brownies, Camp Fire Boys & Girls, etc.)?	Local (n = 171)	State (n = 2,518)
a. Yes	4.1% (± 3.0%)	7.6% (± 0.9%)
b. No, even though this activity is available	80.1 (± 6.0)	80.7 (± 2.4)
c. No, because this activity is not available	15.8 (± 5.5)	11.7 (± 2.4)
177. Arts groups (such as art, music, drama, dance, etc.)?	Local (n = 172)	State (n = 2,522)
a. Yes	43.0% (± 7.4%)	42.4% (± 2.4%)
b. No, even though this activity is available	51.7 (± 7.5)	51.4 (± 2.4)
c. No, because this activity is not available	5.2 (± 3.3)	6.2 (± 1.2)
178. Service or social clubs (such as Boys and Girls Clubs, 4-H Clubs, church youth groups, etc.)?	Local (n = 171)	State (n = 2,513)
a. Yes	50.3% (± 7.5%)	42.1% (± 3.4%)
b. No, even though this activity is available	44.4 (± 7.4)	53.0 (± 3.3)
c. No, because this activity is not available	5.3 (± 3.4)	4.9 (± 1.1)

School Domain

179. How often do you feel the schoolwork you are assigned is meaningful and important?	Local (n = 170)	State (n = 2,461)
a. Almost always	16.5% (± 5.6%)	12.9% (± 1.9%)
b. Often	20.6 (± 6.1)	23.8 (± 2.2)
c. Sometimes	35.3 (± 7.2)	37.1 (± 2.3)
d. Seldom	23.5 (± 6.4)	20.4 (± 2.3)
e. Never	4.1 (± 3.0)	5.9 (± 1.0)
180. How interesting are most of your courses to you?	Local (n = 172)	State (n = 2,546)
a. Very interesting and stimulating	7.6% (± 4.0%)	6.0% (± 1.3%)
b. Quite interesting	23.3 (± 6.3)	25.4 (± 2.3)
c. Fairly interesting	44.2 (± 7.4)	42.4 (± 1.9)
d. Slightly dull	16.3 (± 5.5)	18.9 (± 1.9)
e. Very dull	8.7 (± 4.2)	7.2 (± 1.3)

181. How important do you think the things you are learning in school are going to be for you later in life?	Local (n = 173)	State (n = 2,541)
a. Very important	27.8% (± 6.7%)	24.4% (± 3.0%)
b. Quite important	28.9 (± 6.8)	27.5 (± 1.6)
c. Fairly important	27.2 (± 6.6)	28.5 (± 1.8)
d. Slightly important	11.0 (± 4.7)	15.7 (± 1.7)
e. Not at all important	5.2 (± 3.3)	3.9 (± 1.0)

Think back over the past year in school. How often did you:

182. Enjoy being in school?	Local (n = 330)	State (n = 4,829)
a. Never	5.8% (± 2.5%)	7.6% (± 0.9%)
b. Seldom	17.0 (± 4.1)	17.3 (± 1.5)
c. Sometimes	34.6 (± 5.1)	35.0 (± 1.3)
d. Often	27.3 (± 4.8)	26.9 (± 1.3)
e. Almost always	15.5 (± 3.9)	13.1 (± 1.5)

183. Hate being in school?	Local (n = 173)	State (n = 2,542)
a. Never	9.8% (± 4.4%)	6.3% (± 1.2%)
b. Seldom	33.5 (± 7.0)	29.9 (± 2.1)
c. Sometimes	32.4 (± 7.0)	37.6 (± 1.9)
d. Often	15.6 (± 5.4)	18.3 (± 1.8)
e. Almost always	8.7 (± 4.2)	8.0 (± 1.6)

184. Try to do your best work in school?	Local (n = 173)	State (n = 2,541)
a. Never	1.2% (± 1.6%)	1.8% (± 0.5%)
b. Seldom	7.5 (± 3.9)	7.3 (± 1.1)
c. Sometimes	13.3 (± 5.1)	18.5 (± 1.3)
d. Often	34.7 (± 7.1)	32.1 (± 1.7)
e. Almost always	43.4 (± 7.4)	40.4 (± 2.2)

185. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	Local (n = 172)	State (n = 2,547)
a. None	83.1% (± 5.6%)	81.4% (± 2.5%)
b. 1	6.4 (± 3.7)	8.4 (± 1.1)
c. 2	3.5 (± 2.7)	3.7 (± 0.8)
d. 3	2.9 (± 2.5)	2.6 (± 0.8)
e. 4–5	2.9 (± 2.5)	1.9 (± 0.6)
f. 6–10	0.6 (± 1.1)	1.3 (± 0.5)
g. 11 or more	0.6 (± 1.1)	0.8 (± 0.4)

186. In my school, students have lots of chances to help decide things like class activities and rules.	Local (n = 173)	State (n = 2,527)
a. NO!	22.5% (± 6.2%)	19.2% (± 1.8%)
b. no	35.8 (± 7.2)	33.4 (± 2.1)
c. yes	35.3 (± 7.1)	39.3 (± 3.0)
d. YES!	6.4 (± 3.6)	8.2 (± 1.4)

187.	There are lots of chances for students in my school to talk with a teacher one-on-one.	Local (n = 171)	State (n = 2,529)
a.	NO!	7.6% (± 4.0%)	5.8% (± 1.0%)
b.	no	20.5 (± 6.1)	18.8 (± 1.9)
c.	yes	49.7 (± 7.5)	54.3 (± 2.0)
d.	YES!	22.2 (± 6.2)	21.2 (± 2.4)
188.	Teachers ask me to work on special classroom projects.	Local (n = 172)	State (n = 2,516)
a.	NO!	25.0% (± 6.5%)	20.3% (± 2.3%)
b.	no	45.9 (± 7.4)	50.6 (± 2.5)
c.	yes	23.8 (± 6.4)	24.4 (± 1.8)
d.	YES!	5.2 (± 3.3)	4.7 (± 1.0)
189.	There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	Local (n = 332)	State (n = 4,799)
a.	NO! ^A / Definitely NOT true ^B	4.8% (± 2.3%)	3.4% (± 1.0%)
b.	no ^A / Mostly not true ^B	5.1 (± 2.4)	5.2 (± 0.9)
c.	yes ^A / Mostly true ^B	34.3 (± 5.1)	34.2 (± 1.9)
d.	YES! ^A / Definitely true ^B	55.7 (± 5.4)	57.3 (± 2.9)
190.	I have lots of chances to be part of class discussions or activities.	Local (n = 172)	State (n = 2,532)
a.	NO!	5.2% (± 3.3%)	3.8% (± 0.8%)
b.	no	11.6 (± 4.8)	11.9 (± 1.4)
c.	yes	55.8 (± 7.4)	56.6 (± 2.3)
d.	YES!	27.3 (± 6.7)	27.8 (± 2.7)
191.	My teacher(s) notices when I am doing a good job and lets me know about it.	Local (n = 172)	State (n = 2,532)
a.	NO!	6.4% (± 3.7%)	7.0% (± 1.0%)
b.	no	23.3 (± 6.3)	23.0 (± 2.0)
c.	yes	54.7 (± 7.4)	57.1 (± 2.3)
d.	YES!	15.7 (± 5.4)	12.9 (± 1.9)
192.	The school lets my parents know when I have done something well.	Local (n = 172)	State (n = 2,517)
a.	NO!	29.7% (± 6.8%)	29.3% (± 1.8%)
b.	no	46.5 (± 7.4)	46.2 (± 1.8)
c.	yes	17.4 (± 5.7)	19.6 (± 2.2)
d.	YES!	6.4 (± 3.7)	4.9 (± 1.0)
193.	I feel safe at my school.	Local (n = 343)	State (n = 5,073)
a.	NO! ^{A,C} / Definitely NOT true ^B	5.8% (± 2.5%)	5.1% (± 0.8%)
b.	no ^{A,C} / Mostly not true ^B	9.0 (± 3.0)	10.8 (± 1.3)
c.	yes ^{A,C} / Mostly true ^B	54.5 (± 5.3)	59.3 (± 1.6)
d.	YES! ^{A,C} / Definitely true ^B	30.6 (± 4.9)	24.8 (± 2.2)

	Local (n = 172)	State (n = 2,507)
194. My teachers praise me when I work hard in school.		
a. NO!	18.0% (± 5.7%)	16.2% (± 1.5%)
b. no	43.0 (± 7.4)	40.9 (± 1.8)
c. yes	30.2 (± 6.9)	35.6 (± 2.0)
d. YES!	8.7 (± 4.2)	7.3 (± 1.2)
195. Putting them all together, what were your grades (like) ^{A,C} last year?	Local (n = 331)	State (n = 4,783)
a. Mostly As	36.3% (± 5.2%)	35.7% (± 3.2%)
b. Mostly Bs	30.8 (± 5.0)	33.8 (± 1.7)
c. Mostly Cs	25.1 (± 4.7)	22.0 (± 2.0)
d. Mostly Ds	5.1 (± 2.4)	5.5 (± 0.9)
e. Mostly Fs	2.7 (± 1.7)	3.0 (± 0.5)
196. Are your school grades better than the grades of most students in your class?	Local (n = 171)	State (n = 2,495)
a. NO!	6.4% (± 3.7%)	7.8% (± 1.2%)
b. no	24.6 (± 6.4)	32.1 (± 1.9)
c. yes	49.7 (± 7.5)	43.7 (± 2.4)
d. YES!	19.3 (± 5.9)	16.4 (± 1.9)

Peer and Individual Domain

How much do you think people risk harming themselves if they:

	Local (n = 173)	State (n = 2,512)
197. Smoke one or more packs of cigarettes per day?		
a. No risk	2.3% (± 2.2%)	2.8% (± 0.8%)
b. Slight risk	3.5 (± 2.7)	3.0 (± 0.8)
c. Moderate risk	6.9 (± 3.8)	8.6 (± 1.1)
d. Great risk	85.0 (± 5.3)	82.1 (± 2.3)
e. Not sure	2.3 (± 2.2)	3.5 (± 1.2)
198. Try marijuana once or twice?	Local (n = 172)	State (n = 2,504)
a. No risk	23.8% (± 6.4%)	25.8% (± 2.4%)
b. Slight risk	37.8 (± 7.3)	31.0 (± 2.4)
c. Moderate risk	20.4 (± 6.0)	22.6 (± 2.1)
d. Great risk	16.3 (± 5.5)	17.5 (± 1.9)
e. Not sure	1.7 (± 2.0)	3.1 (± 0.9)
199. Smoke marijuana regularly?	Local (n = 171)	State (n = 2,507)
a. No risk	5.3% (± 3.4%)	7.1% (± 1.2%)
b. Slight risk	6.4 (± 3.7)	9.4 (± 1.2)
c. Moderate risk	23.4 (± 6.4)	19.5 (± 2.1)
d. Great risk	61.4 (± 7.3)	60.2 (± 2.9)
e. Not sure	3.5 (± 2.8)	3.8 (± 1.2)

200. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?	Local (n = 172)	State (n = 2,508)
a. No risk	14.5% (± 5.3%)	13.7% (± 1.6%)
b. Slight risk	17.4 (± 5.7)	22.0 (± 2.2)
c. Moderate risk	35.5 (± 7.2)	32.2 (± 1.7)
d. Great risk	30.8 (± 6.9)	28.6 (± 2.0)
e. Not sure	1.7 (± 2.0)	3.5 (± 1.0)

What are the chances you would be seen as cool if you:

201. Smoked cigarettes?	Local (n = 171)	State (n = 2,501)
a. No or very little chance	54.4% (± 7.5%)	55.9% (± 2.5%)
b. Little chance	21.1 (± 6.1)	25.2 (± 1.6)
c. Some chance	19.9 (± 6.0)	12.8 (± 1.5)
d. Pretty good chance	2.3 (± 2.3)	4.5 (± 0.8)
e. Very good chance	2.3 (± 2.3)	1.6 (± 0.6)

202. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	Local (n = 170)	State (n = 2,496)
a. No or very little chance	37.1% (± 7.3%)	39.9% (± 2.4%)
b. Little chance	30.6 (± 6.9)	25.6 (± 2.0)
c. Some chance	19.4 (± 5.9)	20.5 (± 1.8)
d. Pretty good chance	10.6 (± 4.6)	10.6 (± 1.0)
e. Very good chance	2.4 (± 2.3)	3.5 (± 0.9)

203. Smoked marijuana?	Local (n = 172)	State (n = 2,487)
a. No or very little chance	44.2% (± 7.4%)	44.2% (± 2.7%)
b. Little chance	27.3 (± 6.7)	22.8 (± 2.2)
c. Some chance	16.3 (± 5.5)	18.5 (± 1.8)
d. Pretty good chance	8.1 (± 4.1)	9.8 (± 1.5)
e. Very good chance	4.1 (± 3.0)	4.6 (± 1.0)

204. Carried a handgun?	Local (n = 172)	State (n = 2,495)
a. No or very little chance	77.3% (± 6.3%)	75.2% (± 2.3%)
b. Little chance	14.5 (± 5.3)	14.9 (± 1.7)
c. Some chance	4.7 (± 3.2)	5.1 (± 0.9)
d. Pretty good chance	2.3 (± 2.3)	2.9 (± 0.7)
e. Very good chance	1.2 (± 1.6)	1.9 (± 0.7)

205. I think it is okay to take something without asking as long as you get away with it.	Local (n = 172)	State (n = 2,501)
a. NO!	50.6% (± 7.5%)	51.9% (± 2.3%)
b. no	37.2 (± 7.2)	35.6 (± 2.0)
c. yes	5.2 (± 3.3)	8.9 (± 1.3)
d. YES!	7.0 (± 3.8)	3.5 (± 0.7)

206. I think sometimes it's okay to cheat at school.	Local (n = 171)	State (n = 2,501)
a. NO!	27.5% (± 6.7%)	30.2% (± 2.5%)
b. no	40.9 (± 7.4)	35.9 (± 1.9)
c. yes	24.6 (± 6.4)	28.0 (± 2.0)
d. YES!	7.0 (± 3.8)	6.0 (± 1.0)

	Local (n = 172)	State (n = 2,493)
207. It is all right to beat up people if they start the fight.		
a. NO!	27.9% (± 6.7%)	24.1% (± 1.9%)
b. no	26.2 (± 6.6)	27.1 (± 2.4)
c. yes	25.0 (± 6.5)	27.4 (± 2.0)
d. YES!	20.9 (± 6.1)	21.4 (± 2.1)
208. It is important to be honest with your parents, even if they become upset or you get punished.	Local (n = 171)	State (n = 2,489)
a. NO!	2.3% (± 2.3%)	6.5% (± 0.8%)
b. no	15.2 (± 5.4)	12.6 (± 1.1)
c. yes	45.6 (± 7.5)	44.0 (± 2.4)
d. YES!	36.8 (± 7.2)	36.8 (± 2.2)
209. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?	Local (n = 170)	State (n = 2,475)
a. Ignore her	16.5% (± 5.6%)	21.8% (± 2.7%)
b. Grab a CD and leave the store	10.0 (± 4.5)	10.8 (± 1.5)
c. Tell her to put the CD back	39.4 (± 7.4)	33.5 (± 2.5)
d. Act like it's a joke and ask her to put the CD back	34.1 (± 7.1)	33.8 (± 2.5)
210. It's 8:00 on a weeknight and you are about to go over to a friend's house when your mom asks you where you are going. You say, "Oh, just going to hang out with some friends." She says, "No, you'll just get into trouble if you go out. Stay home tonight." What would you do now?	Local (n = 172)	State (n = 2,462)
a. Leave the house anyway	9.3% (± 4.3%)	6.4% (± 1.1%)
b. Explain what you are going to do with your friends, tell her when you will get home, and ask if you can go out	74.4 (± 6.5)	75.8 (± 2.2)
c. Not say anything and start watching TV	8.1 (± 4.1)	7.2 (± 1.4)
d. Get into an argument with her	8.1 (± 4.1)	10.7 (± 1.1)
211. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?	Local (n = 172)	State (n = 2,444)
a. Push the person back	9.3% (± 4.3%)	10.0% (± 1.2%)
b. Say nothing and keep on walking	42.4 (± 7.4)	46.0 (± 2.7)
c. Say, "Watch where you're going," and keep on walking	26.7 (± 6.6)	28.8 (± 2.3)
d. Swear at the person and walk away	21.5 (± 6.1)	15.3 (± 1.5)
212. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	Local (n = 171)	State (n = 2,425)
a. Drink it	36.3% (± 7.2%)	33.6% (± 3.2%)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	29.2 (± 6.8)	31.5 (± 2.8)
c. Just say, "No, thanks," and walk away	28.1 (± 6.7)	27.5 (± 2.2)
d. Make up a good excuse, tell your friend you had something else to do, and leave	6.4 (± 3.7)	7.5 (± 1.0)

	Local (n = 340)		State (n = 4,903)	
213. How old were you the first time you smoked marijuana?	62.4%	(± 5.2%)	67.6%	(± 2.7%)
a. Never have	5.0	(± 2.3)	3.3	(± 0.6)
b. 10 or younger	2.1	(± 1.5)	2.2	(± 0.5)
c. 11	4.7	(± 2.3)	3.9	(± 0.8)
d. 12	8.8	(± 3.0)	8.1	(± 1.1)
e. 13	10.3	(± 3.2)	8.7	(± 1.1)
f. 14	5.9	(± 2.5)	5.6	(± 0.7)
g. 15	0.0	(± 0.0)	0.5	(± 0.2)
h. 16	0.9	(± 1.0)	0.1	(± 0.1)
i. 17 or older				

[Item 214 appears only on the elementary version of the survey.]

	Local (n = 170)		State (n = 2,372)	
215. How old were you the first time you smoked a cigarette, even just a puff?	57.7%	(± 7.4%)	61.1%	(± 3.6%)
a. Never have	13.5	(± 5.1)	12.1	(± 2.2)
b. 10 or younger	5.3	(± 3.4)	5.3	(± 0.9)
c. 11	5.3	(± 3.4)	5.1	(± 0.8)
d. 12	9.4	(± 4.4)	5.4	(± 1.0)
e. 13	4.1	(± 3.0)	6.6	(± 0.8)
f. 14	4.1	(± 3.0)	3.9	(± 0.6)
g. 15	0.0	(± 0.0)	0.4	(± 0.3)
h. 16	0.6	(± 1.2)	0.0	(± 0.1)
i. 17 or older				

	Local (n = 340)		State (n = 4,887)	
216. How old were you the first time you ^A (How old were you when you first) ^B had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?	36.8%	(± 5.1%)	40.0%	(± 2.5%)
a. Never have	15.3	(± 3.8)	13.7	(± 1.2)
b. 10 or younger	6.8	(± 2.7)	5.1	(± 0.6)
c. 11	9.1	(± 3.1)	7.7	(± 0.9)
d. 12	9.7	(± 3.2)	10.9	(± 0.9)
e. 13	11.2	(± 3.4)	12.8	(± 1.1)
f. 14	9.4	(± 3.1)	9.0	(± 0.9)
g. 15	0.9	(± 1.0)	0.8	(± 0.3)
h. 16	0.9	(± 1.0)	0.2	(± 0.1)
i. 17 or older				

[Item 217 appears only on the elementary version of the survey.]

	Local (n = 169)		State (n = 2,352)	
218. How old were you the first time you began drinking alcoholic beverages regularly, that is, at least once or twice a month?	72.2%	(± 6.8%)	73.4%	(± 2.2%)
a. Never have	0.6	(± 1.2)	1.5	(± 0.6)
b. 10 or younger	1.8	(± 2.0)	1.4	(± 0.5)
c. 11	4.1	(± 3.0)	1.8	(± 0.6)
d. 12	2.4	(± 2.3)	4.3	(± 0.9)
e. 13	8.9	(± 4.3)	8.0	(± 1.1)
f. 14	5.3	(± 3.4)	8.5	(± 1.1)
g. 15	3.0	(± 2.5)	1.0	(± 0.4)
h. 16	1.8	(± 2.0)	0.2	(± 0.2)
i. 17 or older				

How old were you when you first:

	Local (n = 168)	State (n = 2,334)
219. Got suspended from school?		
a. Never have	81.0% (± 5.9%)	75.6% (± 3.2%)
b. 10 or younger	3.0 (± 2.6)	6.2 (± 1.5)
c. 11	2.4 (± 2.3)	2.3 (± 0.7)
d. 12	3.6 (± 2.8)	4.0 (± 0.9)
e. 13	2.4 (± 2.3)	5.0 (± 1.1)
f. 14	4.2 (± 3.0)	5.0 (± 0.9)
g. 15	3.6 (± 2.8)	1.7 (± 0.6)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.0 (± 0.1)
220. Got arrested?	Local (n = 168)	State (n = 2,332)
a. Never have	87.5% (± 5.0%)	89.5% (± 1.8%)
b. 10 or younger	1.8 (± 2.0)	1.1 (± 0.5)
c. 11	1.2 (± 1.6)	0.9 (± 0.4)
d. 12	1.2 (± 1.6)	1.3 (± 0.4)
e. 13	3.6 (± 2.8)	2.3 (± 0.7)
f. 14	2.4 (± 2.3)	2.8 (± 1.0)
g. 15	1.8 (± 2.0)	1.9 (± 0.5)
h. 16	0.6 (± 1.2)	0.2 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.0 (± 0.1)
221. Carried a handgun?	Local (n = 168)	State (n = 2,326)
a. Never have	92.3% (± 4.0%)	90.1% (± 1.6%)
b. 10 or younger	3.0 (± 2.6)	2.0 (± 0.5)
c. 11	1.8 (± 2.0)	1.3 (± 0.5)
d. 12	1.2 (± 1.6)	1.3 (± 0.4)
e. 13	1.2 (± 1.6)	1.7 (± 0.5)
f. 14	0.6 (± 1.2)	1.6 (± 0.5)
g. 15	0.0 (± 0.0)	1.5 (± 0.5)
h. 16	0.0 (± 0.0)	0.2 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.3 (± 0.2)
222. Attacked someone with the idea of seriously hurting them?	Local (n = 167)	State (n = 2,323)
a. Never have	80.8% (± 6.0%)	82.2% (± 1.8%)
b. 10 or younger	5.4 (± 3.4)	4.8 (± 1.0)
c. 11	0.6 (± 1.2)	1.4 (± 0.4)
d. 12	4.2 (± 3.0)	2.6 (± 0.7)
e. 13	3.0 (± 2.6)	3.2 (± 0.8)
f. 14	2.4 (± 2.3)	3.0 (± 0.7)
g. 15	3.6 (± 2.8)	2.4 (± 0.8)
h. 16	0.0 (± 0.0)	0.3 (± 0.2)
i. 17 or older	0.0 (± 0.0)	0.1 (± 0.1)

How wrong do you think it is for someone your age to:

	Local (n = 166)	State (n = 2,301)
223. Take a handgun to school?		
a. Very wrong	87.4% (± 5.1%)	86.6% (± 1.8%)
b. Wrong	9.0 (± 4.4)	10.3 (± 1.3)
c. A little bit wrong	3.6 (± 2.8)	2.3 (± 0.6)
d. Not wrong at all	0.0 (± 0.0)	0.8 (± 0.4)
224. Steal anything worth more than \$5?		
a. Very wrong	56.6% (± 7.5%)	54.6% (± 3.0%)
b. Wrong	29.5 (± 6.9)	29.8 (± 1.9)
c. A little bit wrong	9.0 (± 4.4)	12.0 (± 1.5)
d. Not wrong at all	4.8 (± 3.3)	3.6 (± 1.0)
225. Steal anything worth less than \$5?		
a. Very wrong	43.4% (± 7.5%)	43.0% (± 3.4%)
b. Wrong	33.1 (± 7.2)	31.0 (± 2.5)
c. A little bit wrong	16.9 (± 5.7)	19.4 (± 2.1)
d. Not wrong at all	6.6 (± 3.8)	6.5 (± 1.5)
226. Pick a fight with someone?		
a. Very wrong	35.8% (± 7.3%)	37.1% (± 2.9%)
b. Wrong	36.4 (± 7.3)	36.1 (± 2.4)
c. A little bit wrong	18.8 (± 6.0)	20.0 (± 1.9)
d. Not wrong at all	9.1 (± 4.4)	6.7 (± 1.1)
227. Attack someone with the idea of seriously hurting them?		
a. Very wrong	64.5% (± 7.3%)	63.7% (± 2.6%)
b. Wrong	22.9 (± 6.4)	23.6 (± 2.0)
c. A little bit wrong	9.6 (± 4.5)	9.3 (± 1.3)
d. Not wrong at all	3.0 (± 2.6)	3.4 (± 0.7)
228. Stay away from school all day when their parents think they are at school?		
a. Very wrong	47.6% (± 7.6%)	41.9% (± 2.7%)
b. Wrong	32.3 (± 7.2)	35.0 (± 2.1)
c. A little bit wrong	15.2 (± 5.5)	17.6 (± 2.0)
d. Not wrong at all	4.9 (± 3.3)	5.5 (± 1.2)
229. Drink beer, wine, or hard liquor (for example: vodka, whiskey, or gin) regularly?		
a. Very wrong	45.4% (± 7.6%)	41.1% (± 2.7%)
b. Wrong	20.3 (± 6.2)	25.0 (± 1.8)
c. A little bit wrong	22.7 (± 6.4)	23.1 (± 2.4)
d. Not wrong at all	11.7 (± 4.9)	10.8 (± 1.4)

	Local (n = 317)	State (n = 4,288)
230. Smoke cigarettes?		
a. Very wrong	50.5% (± 5.5%)	56.2% (± 2.8%)
b. Wrong	21.1 (± 4.5)	23.8 (± 1.7)
c. A little bit wrong	16.7 (± 4.1)	12.6 (± 1.4)
d. Not wrong at all	11.7 (± 3.5)	7.4 (± 1.0)

	Local (n = 166)	State (n = 2,258)
231. Smoke marijuana?		
a. Very wrong	52.4% (± 7.6%)	53.3% (± 3.5%)
b. Wrong	20.5 (± 6.1)	20.5 (± 1.7)
c. A little bit wrong	16.3 (± 5.6)	15.2 (± 2.0)
d. Not wrong at all	10.8 (± 4.7)	11.0 (± 1.6)

	Local (n = 166)	State (n = 2,262)
232. Use LSD, cocaine, amphetamines, or another illegal drug?		
a. Very wrong	78.3% (± 6.3%)	79.4% (± 2.0%)
b. Wrong	16.9 (± 5.7)	14.1 (± 1.4)
c. A little bit wrong	1.8 (± 2.0)	3.9 (± 0.9)
d. Not wrong at all	3.0 (± 2.6)	2.6 (± 0.8)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have:

	Local (n = 164)	State (n = 2,243)
233. Smoked cigarettes?		
a. None	48.2% (± 7.6%)	57.4% (± 3.1%)
b. 1	18.3 (± 5.9)	17.4 (± 1.9)
c. 2	12.8 (± 5.1)	9.6 (± 1.4)
d. 3	6.7 (± 3.8)	5.2 (± 1.0)
e. 4	14.0 (± 5.3)	10.5 (± 1.4)

	Local (n = 164)	State (n = 2,234)
234. Tried beer, wine, or hard liquor (for example: vodka, whiskey, or gin) when their parents didn't know about it?		
a. None	36.0% (± 7.4%)	37.6% (± 3.4%)
b. 1	18.9 (± 6.0)	18.4 (± 1.6)
c. 2	13.4 (± 5.2)	12.0 (± 1.2)
d. 3	6.1 (± 3.7)	9.0 (± 1.5)
e. 4	25.6 (± 6.7)	22.9 (± 2.2)

	Local (n = 165)	State (n = 2,236)
235. Used marijuana?		
a. None	50.3% (± 7.6%)	52.9% (± 3.0%)
b. 1	14.6 (± 5.4)	15.9 (± 1.4)
c. 2	11.5 (± 4.9)	8.9 (± 1.2)
d. 3	6.7 (± 3.8)	6.8 (± 1.1)
e. 4	17.0 (± 5.7)	15.5 (± 1.8)

	Local (n = 165)	State (n = 2,232)
236. Used LSD, cocaine, amphetamines, or other illegal drugs?		
a. None	86.1% (± 5.3%)	85.1% (± 1.6%)
b. 1	7.9 (± 4.1)	8.4 (± 1.0)
c. 2	3.0 (± 2.6)	3.3 (± 0.7)
d. 3	1.2 (± 1.7)	1.3 (± 0.5)
e. 4	1.8 (± 2.0)	1.9 (± 0.6)

	Local (n = 163)	State (n = 2,228)
237. When I am an adult I will smoke cigarettes.		
a. NO!	77.3% (± 6.4%)	76.0% (± 2.1%)
b. no	16.6 (± 5.7)	17.2 (± 1.8)
c. yes	6.1 (± 3.7)	5.1 (± 1.1)
d. YES!	0.0 (± 0.0)	1.8 (± 0.6)
238. When I am an adult I will drink beer, wine, or liquor.		
a. NO!	24.5% (± 6.6%)	25.5% (± 2.3%)
b. no	25.8 (± 6.7)	22.4 (± 1.8)
c. yes	39.3 (± 7.5)	39.1 (± 2.0)
d. YES!	10.4 (± 4.7)	13.0 (± 1.4)
239. When I am an adult I will smoke marijuana.		
a. NO!	72.0% (± 6.9%)	69.4% (± 2.9%)
b. no	18.3 (± 5.9)	18.1 (± 2.0)
c. yes	5.5 (± 3.5)	7.8 (± 1.5)
d. YES!	4.3 (± 3.1)	4.6 (± 1.1)

Family Domain

About how many adults have you known personally who in the past year have:

	Local (n = 172)	State (n = 2,440)
240. Used marijuana, crack, cocaine, or other drugs?		
a. None	42.4% (± 7.4%)	46.9% (± 3.2%)
b. 1 adult	21.5 (± 6.1)	16.0 (± 1.9)
c. 2 adults	10.5 (± 4.6)	10.8 (± 1.3)
d. 3–4 adults	12.2 (± 4.9)	9.8 (± 1.7)
e. 5 or more adults	13.4 (± 5.1)	16.5 (± 2.3)
241. Sold or dealt drugs?		
a. None	61.4% (± 7.3%)	65.7% (± 3.6%)
b. 1 adult	18.7 (± 5.8)	14.1 (± 1.6)
c. 2 adults	9.4 (± 4.4)	7.9 (± 1.3)
d. 3–4 adults	5.3 (± 3.4)	5.3 (± 1.2)
e. 5 or more adults	5.3 (± 3.4)	7.1 (± 1.5)
242. Done other things that could get them in trouble with the police, like stealing, selling stolen goods, mugging, or assaulting others, etc.?		
a. None	67.4% (± 7.0%)	66.6% (± 2.7%)
b. 1 adult	16.9 (± 5.6)	14.3 (± 0.9)
c. 2 adults	5.8 (± 3.5)	7.0 (± 1.2)
d. 3–4 adults	4.1 (± 3.0)	5.0 (± 0.9)
e. 5 or more adults	5.8 (± 3.5)	7.1 (± 1.5)

	Local (n = 171)	State (n = 2,433)
243. Gotten drunk or high?		
a. None	25.7% (± 6.5%)	31.4% (± 2.2%)
b. 1 adult	17.0 (± 5.6)	16.6 (± 1.7)
c. 2 adults	10.5 (± 4.6)	9.5 (± 1.0)
d. 3–4 adults	11.7 (± 4.8)	10.5 (± 1.3)
e. 5 or more adults	35.1 (± 7.2)	32.0 (± 2.7)

The next set of questions asks about your family. When answering these questions, please think about the people you consider to be your family—parents, grandparents, aunts, uncles, etc.

	Local (n = 164)	State (n = 1,362)
244. My parents ask if I've gotten my homework done. [†]		
a. NO!	3.1% (± 2.6%)	6.3% (± 1.7%)
b. no	8.5 (± 4.3)	10.2 (± 1.6)
c. yes	39.6 (± 7.5)	38.6 (± 2.5)
d. YES!	48.8 (± 7.6)	44.9 (± 1.9)

	Local (n = 164)	State (n = 1,357)
245. Would your parents know if you did not come home on time? [†]		
a. NO!	3.7% (± 2.9%)	6.3% (± 1.3%)
b. no	15.2 (± 5.5)	13.6 (± 1.7)
c. yes	42.1 (± 7.5)	36.0 (± 2.5)
d. YES!	39.0 (± 7.5)	44.1 (± 3.5)

	Local (n = 163)	State (n = 1,357)
246. When I am not at home, one of my parents knows where I am and who I am with. [†]		
a. NO!	4.3% (± 3.1%)	5.0% (± 1.5%)
b. no	12.3 (± 5.0)	11.1 (± 2.0)
c. yes	41.7 (± 7.6)	44.5 (± 2.2)
d. YES!	41.7 (± 7.6)	39.4 (± 2.6)

	Local (n = 164)	State (n = 1,358)
247. The rules in my family are clear. [†]		
a. NO!	3.7% (± 2.9%)	4.4% (± 1.6%)
b. no	11.0 (± 4.8)	10.8 (± 1.5)
c. yes	46.3 (± 7.6)	44.0 (± 2.8)
d. YES!	39.0 (± 7.5)	40.8 (± 2.9)

	Local (n = 162)	State (n = 1,348)
248. My family has clear rules about alcohol and drug use. [†]		
a. NO!	3.7% (± 2.9%)	4.1% (± 1.7%)
b. no	10.5 (± 4.7)	10.8 (± 1.8)
c. yes	31.5 (± 7.2)	31.1 (± 2.5)
d. YES!	54.3 (± 7.7)	54.0 (± 3.7)

	Local (n = 163)	State (n = 1,342)
249. If you drank some beer, wine, or liquor (for example: vodka, whiskey, or gin) without your parent's permission, would you be caught by them? [†]		
a. NO!	14.1% (± 5.4%)	15.3% (± 3.1%)
b. no	38.7 (± 7.5)	37.5 (± 3.5)
c. yes	23.9 (± 6.5)	24.4 (± 2.1)
d. YES!	23.3 (± 6.5)	22.8 (± 3.1)

250.	If you carried a handgun without your parent's permission, would you be caught by them? [†]	Local (n = 164)	State (n = 1,335)
a.	NO!	11.6% (± 4.9%)	8.6% (± 2.3%)
b.	no	22.0 (± 6.3)	18.0 (± 3.1)
c.	yes	27.4 (± 6.8)	28.4 (± 1.8)
d.	YES!	39.0 (± 7.5)	45.0 (± 4.4)
251.	If you skipped school, would you be caught by your parents? [†]	Local (n = 164)	State (n = 1,335)
a.	NO!	6.7% (± 3.8%)	8.5% (± 2.5%)
b.	no	18.3 (± 5.9)	18.1 (± 3.6)
c.	yes	34.2 (± 7.3)	33.4 (± 2.3)
d.	YES!	40.9 (± 7.5)	40.0 (± 5.5)
252.	My parents give me lots of chances to do fun things with them. [†]	Local (n = 163)	State (n = 1,331)
a.	NO!	10.4% (± 4.7%)	8.9% (± 1.8%)
b.	no	25.8 (± 6.7)	19.7 (± 2.3)
c.	yes	39.9 (± 7.5)	44.9 (± 2.2)
d.	YES!	23.9 (± 6.5)	26.5 (± 2.3)
253.	My parents ask me what I think before most family decisions affecting me are made. [†]	Local (n = 163)	State (n = 1,326)
a.	NO!	14.1% (± 5.4%)	13.1% (± 1.8%)
b.	no	22.1 (± 6.4)	24.3 (± 1.6)
c.	yes	42.9 (± 7.6)	40.3 (± 2.3)
d.	YES!	20.9 (± 6.2)	22.4 (± 2.2)
254.	If I had a personal problem, I could ask my mom or dad for help. [†]	Local (n = 162)	State (n = 1,334)
a.	NO!	9.3% (± 4.5%)	10.7% (± 2.0%)
b.	no	18.5 (± 6.0)	14.6 (± 1.8)
c.	yes	42.6 (± 7.6)	41.2 (± 2.2)
d.	YES!	29.6 (± 7.0)	33.4 (± 3.1)
255.	My parents notice when I am doing a good job and let me know about it. [†]	Local (n = 163)	State (n = 1,328)
a.	Never or almost never	7.4% (± 4.0%)	9.2% (± 2.3%)
b.	Sometimes	23.9 (± 6.5)	24.3 (± 2.2)
c.	Often	35.0 (± 7.3)	34.4 (± 2.8)
d.	All the time	33.7 (± 7.3)	32.2 (± 3.0)
256.	How often do your parents tell you they're proud of you for something you've done? [†]	Local (n = 163)	State (n = 1,331)
a.	Never or almost never	9.2% (± 4.4%)	9.5% (± 2.0%)
b.	Sometimes	24.5 (± 6.6)	26.2 (± 3.5)
c.	Often	38.7 (± 7.5)	33.9 (± 2.6)
d.	All the time	27.6 (± 6.9)	30.4 (± 3.6)

257. Do you enjoy spending time with your dad? [†]	Local (n = 162)		State (n = 1,312)	
	9.9%	(± 4.6%)	11.1%	(± 1.6%)
	10.5	(± 4.7)	10.8	(± 1.8)
	36.4	(± 7.4)	40.4	(± 2.8)
	43.2	(± 7.6)	37.8	(± 2.9)
258. Do you enjoy spending time with your mom? [†]	Local (n = 161)		State (n = 1,320)	
	7.5%	(± 4.1%)	5.6%	(± 1.7%)
	9.3	(± 4.5)	9.2	(± 1.5)
	39.8	(± 7.6)	42.0	(± 2.7)
	43.5	(± 7.7)	43.2	(± 2.8)
259. How often does a parent or guardian ask you where you are going or with whom you will be? [†]	Local (n = 145)		State (n = 1,234)	
	60.7%	(± 8.0%)	70.0%	(± 2.5%)
	20.7	(± 6.6)	19.0	(± 1.9)
	8.3	(± 4.5)	5.1	(± 1.6)
	6.2	(± 3.9)	3.4	(± 0.8)
	4.1	(± 3.2)	2.4	(± 0.9)
260. My parents or guardians encourage me to be the best I can be. [†]	Local (n = 146)		State (n = 1,231)	
	52.1%	(± 8.1%)	58.4%	(± 3.7%)
	26.7	(± 7.2)	27.1	(± 2.1)
	13.7	(± 5.6)	9.5	(± 1.9)
	2.7	(± 2.6)	3.3	(± 1.0)
	4.8	(± 3.5)	1.7	(± 0.7)
261. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food? [†]	Local (n = 144)		State (n = 1,219)	
	6.9%	(± 4.2%)	7.1%	(± 1.9%)
	7.6	(± 4.3)	4.9	(± 1.3)
	4.9	(± 3.5)	5.1	(± 1.4)
	80.6	(± 6.5)	82.9	(± 3.6)

[Item 262 appears only on the elementary version of the survey.]